

## Program Assessment Plan

**Program:** Adult Gerontology Primary Care Masters NP and Adult Gerontology Primary Care Post Masters Certificate NP

**Department:** Nursing

**College/School:** School of Nursing

**Date:** September 6, 2017 **Second Revision:** January 30, 2018

**Primary Assessment Contact:** Joanne Thanavaro

*Note: Each cell in the table below will expand as needed to accommodate your responses.*

#	<b>Program Learning Outcomes</b> What do the program faculty expect all students to know, or be able to do, as a result of completing this program? <ul style="list-style-type: none"> <li>▪ <i>Note: These should be measurable, and manageable in number (typically 4-6 are sufficient).</i></li> </ul>	<b>Assessment Mapping</b> From what specific courses (or other educational/professional experiences) will artifacts of student learning be analyzed to demonstrate achievement of the outcome? Include courses taught at the Madrid campus and/or online as applicable.	<b>Assessment Methods</b> What specific artifacts of student learning will be analyzed? How, and by whom, will they be analyzed? <ul style="list-style-type: none"> <li>▪ <i>Note: the majority should provide direct, rather than indirect, evidence of achievement.</i></li> </ul> Please note if a rubric is used and, if so, include it as an appendix to this plan.	<b>Use of Assessment Data</b> How and when will analyzed data be used by faculty to make changes in pedagogy, curriculum design, and/or assessment work? How and when will the program evaluate the impact of assessment-informed changes <i>made in previous years</i> ?
1	Implement collaborative strategies to provide ethical, high quality, safe, effective, patient-centered care.	<b>Didactic courses:</b> <ul style="list-style-type: none"> <li>• NURS 5040 Role Acquisition</li> <li>• NURS 5110 Advanced Health Assessment</li> </ul>	<b>Direct Measure for Didactic Courses:</b> <ol style="list-style-type: none"> <li>1. NURS 5040 Role Acquisition – 80% of all students will achieve a grade of B or higher on a paper summarizing an interview with an Adult Gerontology Primary Care nurse practitioner. (Appendix A)</li> <li>2. NURS 5110 Advanced Health Assessment – 80% of all students will achieve a grade of B or higher on a videotaped</li> </ol>	Aggregate results on the appropriate assignment in each didactic course will be analyzed and compared with trends from previous course offerings. If aggregate results are less than 80% of students achieve a grade of B on the assignment in NURS 5040, NURS 5110 or NURS 5140, or less than 90% of students achieve a grade of B on the assignment in NURS5160, results and analysis with recommendations for

		<ul style="list-style-type: none"> <li>• NURS 5140 Health Promotion</li>   <li>• NURS 5160 Principles of Practice Management</li>   <li><b>Clinical courses:</b> <ul style="list-style-type: none"> <li>• NURS 5110 Advanced Health Assessment</li> <li>• NURS 5240 AGPC Clinical Studies 1</li> <li>• NURS 5250 AGPC Clinical Studies 2</li> <li>• NURS 5810 AGPC Nursing Practicum</li> </ul> </li> </ul>	<p>history and physical exam performed on a simulated patient. (Appendix B)</p> <p>3. NURS 5140 Health Promotion – 80% of all students will achieve a grade of B or higher on a health promotion paper focusing on collaborative strategies to ensure ethical, safe and patient centered care. (Appendix C)</p> <p>4. NURS 5160 Principles of Practice Management. – 90% of all students will achieve a grade of B or higher on a paper focusing on a student selected issue relevant to Adult Gerontology Primary Care advanced nursing practice. (Appendix D)</p> <p><b>Direct Measure for Clinical Courses:</b>  Direct observation of student clinical performance and therapeutic planning are conducted by NP faculty and preceptors in simulated scenarios, case conferences and supervised clinical practicum.</p> <p>1. 90% of all students achieve a satisfactory clinical evaluation during NURS 5110, NURS 5240, NURS 5250 and NURS</p>	<p>improvement will be shared at a dedicated advanced nursing practice program committee (ANPPC) curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>Course faculty will aggregate results of all clinical practicum evaluations. Results will be analyzed and compared with trends from previous clinical courses. If aggregate results are less than 90% of students achieving a satisfactory clinical evaluation, student performance will be compared with relevant assignments from previous courses. The results, analysis and recommendations for improvement will be shared at a</p>
--	--	---	---	---

			<p>5810 based on direct preceptor or faculty observation. (Appendix E)</p> <p><b>Indirect Measures:</b>  Skyfactor exit surveys are administered yearly to graduates to assess student satisfaction on a wide variety of program specific benchmarks.</p> <ol style="list-style-type: none"> <li>1. Skyfactor 11, Interprofessional teamwork; rating of 5.5 or higher on a 7-point scale on exit surveys.</li> <li>2. Skyfactor 18, Patient care; rating 5.5 on a 7-point scale on exit surveys.</li> </ol>	<p>dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit rating on Skyfactor item measures 11 and 18 will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings and student performance in NURS 5110, NURS 5240, NURS 5250, and NURS 5810.</p>
2	<p>Use scholarly inquiry including evidence-based practice and research application to improve decision-making and health outcomes.</p>	<ul style="list-style-type: none"> <li>• NURS 5200 General Research Methods</li> <li>• NURS 5140 Advanced Health Promotion.</li> </ul>	<p><b>Direct Measure:</b></p> <ol style="list-style-type: none"> <li>1. NURS 5200 General Research Methods- 80% of all students will achieve 4 out of 5 points on a graded weekly discussion assignment. (Appendix F)</li> <li>2. NURS 5140 Advanced Health Promotion- 80% of all students will</li> </ol>	<p>Aggregate results on the appropriate assignments will be analyzed and compared with trends from previous course offerings. If aggregate results are less than 80% of students achieve a grade of B on the assignment, results and analysis with recommendations for improvement will be shared at a dedicated ANPPC curriculum</p>

			<p>achieve a grade of B or higher on a written evidence based research assignment. (Appendix C)</p> <p><b>Indirect Measures:</b>  1. Skyfactor 8, Research; rating of 5.5 on a 7-point scale on exit surveys.   2. Skyfactor 13, Evidence based knowledge; rating of 5.5 on a 7-point scale on exit surveys.</p>	<p>meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit rating on Skyfactor item measures 8 and 13 will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings.</p>
3	<p>Integrate advanced competencies, skills, theories, and cultural sensitivity in relationships with patients and professionals.</p>	<p><b>Didactic courses:</b></p> <ul style="list-style-type: none"> <li>• NURS 5080 Advanced Pharmacology</li>   <li>• NURS 5170 Advanced Pathophysiology</li> </ul>	<p><b>Direct Measure for didactic courses:</b>  1. NURS 5080 Advanced Pharmacology - 90% of students will achieve an overall grade of B or higher on a variety of case study discussions focusing on pharmacological principles and their impact on health. (Appendix G)   2. NURS 5170 Advanced Pathophysiology - 90% of all students will achieve an overall grade of B or higher on a variety of case study discussions focusing on pathophysiologic principles</p>	<p>Aggregate results on the appropriate assignment will be analyzed and compared with trends from previous course offerings. If aggregate results are less than 90% of students achieve a grade of B on the assignments, results and analysis with recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum</p>

		<p><b>Clinical courses:</b></p> <ul style="list-style-type: none"> <li>• NURS 5110 Health Assessment &amp; Clinical Decision Making</li> <li>• NURS 5240 AGPC Clinical Studies 1</li> <li>• NURS 5250 AGPC Clinical Studies 2</li> </ul>	<p>and their impact on health. (Appendix H)</p> <p><b>Direct Measure for clinical courses:</b>  Integrated content from NURS 5110, NURS 5240, NURS 5250 is directly measured by NP faculty and preceptors through supervised clinical practicum and simulation cases during residency</p> <ol style="list-style-type: none"> <li>1. 90% of all students achieve a satisfactory clinical evaluation based on direct preceptor or faculty observation (Appendix E)</li> <li>2. 90% of students will receive a proficient or advanced proficient rating on a variety of adult gerontology primary care cases with simulated patients during residency. (Appendix I)</li> </ol> <p><b>Indirect Measures:</b>  1. Skyfactor, Overall Learning; rating of 5.5 or higher on a 7-point scale on exit surveys.</p>	<p>meeting.</p> <p>Course faculty will aggregate results of all clinical practicum evaluations. Results will be analyzed and compared with trends from previous clinical courses. If aggregate results are less than 90% of students achieve a satisfactory clinical evaluation or a proficient simulated case rating, student performance will be compared with relevant assignments from previous courses. The results, analysis and recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit rating on Skyfactor Overall Learning item measures will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings and student performance in NURS</p>
--	--	--	---	--

			2. Adult-Gerontology Primary Care National Specialty Board Certification pass rate of 90% or higher.	5110, NURS 5240 and NURS 5250.  Board certification pass rates will be analyzed annually for trends. If pass rates fall below 90%, aggregate data will be reviewed for areas of weakness and possible curricular or methodological revisions.
4	Design culturally sensitive patient care that includes health promotion and disease prevention.	<p><b>Didactic courses:</b></p> <ul style="list-style-type: none"> <li>• NURS 5140 Health Promotion</li> <li>• NURS 5750 Interdisciplinary Care of the Elderly.</li> </ul> <p><b>Taught in clinical courses</b></p> <ul style="list-style-type: none"> <li>• NURS 5110 Health Assessment &amp; Clinical Decision Making</li> </ul>	<p><b>Direct Measure for Didactic Course:</b></p> <ol style="list-style-type: none"> <li>1. NURS5140 Health Promotion - 90% of students achieve a grade of B or higher on a written health promotion assignment that incorporates culturally sensitive care. (Appendix C)</li> <li>2. NURS5750 Interdisciplinary Care of the Elderly - 90% of students achieve a grade of B or higher on a written assignment focused on evaluation of a geriatric interdisciplinary team focused on providing culturally sensitive care in the geriatric community. (Appendix J)</li> </ol> <p><b>Direct Measure for Clinical Courses:</b></p> <ol style="list-style-type: none"> <li>1. 90% of all students achieve a satisfactory clinical evaluation based on direct preceptor or faculty observation.</li> </ol>	<p>Aggregate results on the appropriate assignments will be analyzed and compared with trends from previous course offerings. If aggregate results are less than 80% of students achieve a grade of B on the assignments, results and analysis with recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>Course faculty will aggregate results of all clinical practicum evaluations. Results will be analyzed and compared with trends from previous clinical courses. If aggregate results are</p>

		<ul style="list-style-type: none"> <li>• NURS 5240 AGPC Clinical Studies 1</li> <li>• NURS 5250 AGPC Clinical Studies 2</li> <li>• NURS 5810 AGPC Nursing Practicum</li> </ul>	<p>(Appendix E)</p> <p>2. 90% of students will receive a proficient or advanced proficient rating on a variety of adult gerontology primary care cases with simulated patients during residency. (Appendix I)</p> <p><b>Indirect Measure:</b> Skyfactor 12, Prevention and Population Care; rating of 5.5 or higher on a 7-point scale.</p>	<p>less than 90% of students achieve a satisfactory clinical evaluation or a proficient simulated case rating, student performance will be compared with relevant assignments from previous courses. The results, analysis and recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit ratings on Skyfactor 12 item measures will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings and student performance in NURS 5110, NURS 5240, NURS 5250, and NURS 5810.</p>
5	Facilitate the improvement of health care through leadership within health care systems and communities.	<p><b>Didactic courses:</b></p> <p>NURS 5160 Principles of Practice Management</p>	<p><b>Direct Measure:</b></p> <p>90% of students will achieve a grade of B or higher on a written assignment that incorporates analysis of leadership strategies to affect healthcare policy change. (Appendix D)</p>	<p>Aggregate results on the written assignment will be analyzed and compared with trends from previous course offerings. If aggregate results are less than 90% of students achieve a grade of B on the assignment, results</p>

			<p>and analysis with recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit rating on Skyfactor 6 item measures will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings.</p>
6	Demonstrate competence in a specialized area of advanced practice nursing that builds on foundational nursing knowledge.	NURS 5810 AGPC Nursing Practicum	<p><b>Indirect Measure:</b> Skyfactor 6, Leadership Skills; rating of 5.5 on a 7-point scale.</p> <p><b>Direct Measure:</b> 1. 90% of all students achieve a satisfactory clinical evaluation on their final practicum (NURS 5810) based on direct preceptor or faculty observation. (Appendix E)  2. 90% of all students will achieve a satisfactory score on the APEA Comprehensive Exit Examination.</p> <p>Course faculty will aggregate results of all clinical practicum evaluations and comprehensive exit examinations. Results will be analyzed and compared with trends from previous clinical courses. If aggregate results are less than 90% of students achieving a satisfactory clinical evaluation and/or comprehensive exit examination score, student performance will be compared with relevant assignments from previous courses.</p>



			<p><b>Indirect Measures:</b></p> <ol style="list-style-type: none"> <li>1. Skyfactor, Overall Learning; rating of 5.5 on a 7-point scale.</li> <li>2. Skyfactor, Overall Effectiveness; rating of 5.5 on a 7-point scale.</li> <li>3. Adult-Gerontology Primary Care National Specialty Board Certification pass rate of 90% or higher.</li> </ol>	<p>Students not receiving a satisfactory APEA comprehensive exam score will receive remediation. The results, analysis and recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit ratings on Skyfactor Overall Learning item measures and Overall Effectiveness item measures will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings.</p> <p>Board certification pass rates will be analyzed annually for trends. If pass rates fall below 90%, aggregate data will be reviewed for areas of weakness and possible curricular or methodological revisions.</p>
--	--	--	--	---

7	Utilize health care informatics and technologies to support practice.	<ul style="list-style-type: none"> <li>• NURS 5240 AGPC Clinical Studies 1</li> <li>• NURS 5250 AGPC Clinical Studies 2</li> <li>• NURS 5810 AGPC Nursing Practicum</li> </ul>	<p><b>Direct Measure:</b></p> <ol style="list-style-type: none"> <li>1. 90% of students achieve a satisfactory or greater score on their clinical evaluation for use of electronic resources for evidence-based care. (Appendix E)</li> <li>2. 90% of students will achieve a grade of B or higher on Typhon notes graded by faculty in clinical courses. (Appendix K)</li> <li>3. 90% of students demonstrate competency with electronic health records by creating and downloading a comprehensive summary of all patient encounters using the available software system. (Appendix L)</li> </ol> <p><b>Indirect Measure:</b> Skyfactor 9, Healthcare Technologies; rating of 5.5 on a 7-point scale.</p>	<p>Course faculty will aggregate results of all clinical practicum evaluations (Appendix E), Typhon log grades (Appendix K), and comprehensive summary report of all patient encounters (Appendix L). Results will be analyzed and compared with trends from previous clinical courses. If aggregate results are less than 90% of students achieving a satisfactory score on any of the three direct measures, student performance will be compared with relevant assignments from previous courses. The results, analysis and recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit ratings on Skyfactor 9 item measures will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings and student performance</p>
---	---	--	---	--

				in NURS 5240, NURS 5250, and NURS 5810.
8	Advocate for policies that improve the health of the public and the profession of nursing.	NURS 5160 Principles of Practice Management	<p><b>Direct Measure:</b> 90% of students will achieve a grade of B or higher on a writing assignment focusing on analysis of a healthcare policy or issue of their choosing. (Appendix D)</p> <p><b>Indirect Measure:</b> Skyfactor 10, Policy and Advocacy; rating of 5.5 on a 7-point scale.</p>	<p>Aggregate results on the health care policy paper will be analyzed and compared with trends from previous course offerings. If aggregate results are less than 90% of students achieve a grade of B on the assignment, results and analysis with recommendations for improvement will be shared at a dedicated ANPPC curriculum meeting with all graduate nursing faculty and representative student body members. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated ANPPC curriculum meeting.</p> <p>On an annual basis, student exit ratings on Skyfactor 10 item measures will be incorporated in the analysis. If ratings are &lt;5.5 they will be compared to previous years to identify trends in and associations with exit ratings.</p>

1. On what schedule/cycle will faculty assess each of the above-noted program learning outcomes? (*It is not recommended to try to assess every outcome every year.*)

Assessment Plan Cycle:

2016-2017: Outcomes # 3 and # 4

2017-2018: Outcomes # 1 and # 7

2018-2019: Outcomes # 2, #5, # 6, and # 8

2. Describe how, and the extent to which, program faculty contributed to the development of this plan.

In October 2016, a meeting was held with the Advanced Nursing Practice Program Committee (ANPPC) to determine the cycle for this assessment plan. The outcomes were reviewed and decisions were made on the best approach for evaluating each outcome. Specifically, outcomes that could best be measured in specific courses were selected for review according to when those courses were offered in the curriculum. All faculty members were given a complete copy of the assessment plan and suggestions for revisions were discussed and implemented if there was a majority vote to make a change. Coordinators of each specialty track in the NP program were utilized as expert content for their respective curriculums. In January 2018, the graduate faculty reviewed the assessment plan and additional revisions were made.

3. On what schedule/cycle will faculty review and, if needed, modify this assessment plan?

In the fall, at the beginning of every academic year, the Advanced Nursing Practice Program Committee (ANPPC) committee will review the outcomes that have been selected for review. Any changes in the planned approach will be discussed and revisions will be made for the upcoming academic year. The assessment cycle has been developed to allow one outcome to be assessed in the fall and one outcome in the spring semester. Evaluation of outcomes will be discussed in the November-December ANPPC meeting for the fall semester and the April-May ANPPC meeting for the spring semester. Recommended changes will be implemented into the curriculum the following academic year and changes will be evaluated at the next annual dedicated Advanced Nursing Practice Program Committee (ANPPC) curriculum meeting

***IMPORTANT: Please remember to submit any assessment rubrics (as noted above) along with this report.***

## APPENDIX A

<b>NURS 5040: Role Acquisition NP Interview Faculty Grading Rubric</b>		
<b>Topic</b>	<b>Points Possible</b>	<b>Points Achieved</b>
<b>Interviewee Credentials &amp; Personal History</b> <ul style="list-style-type: none"><li>▪ Education, progression</li><li>▪ Current Job</li><li>▪ Marketing</li></ul>	<b>30</b>	
<b>Current Practice</b> <ul style="list-style-type: none"><li>▪ Job Description</li><li>▪ Negotiation</li><li>▪ Typical Day</li><li>▪ Setting</li><li>▪ Organizational Structure</li><li>▪ Evaluation</li></ul>	<b>30</b>	
<b>Reflection of the Interview on your anticipated Practice</b> <ul style="list-style-type: none"><li>▪ Job Choice</li><li>Setting Choice</li><li>Pearls</li><li>Scope of Practice</li></ul>	<b>30</b>	
<b>Clarity of Paper (includes spelling, grammar, sequencing and presentation of information)</b>	<b>10</b>	
<b>Grade</b>	<b>100</b>	
<b>Comments:</b>		

## APPENDIX B

### NURS 5110 – Advanced Health Assessment Complete History & Physical Exam Faculty Grading Rubric

Complete History Component	Possible Points	Earned points
Chief Complaint	2.5	
Hx Present Illness	5	
Past Medical Hx	10	
Family Hx	5	
Genogram	2.5	
Personal/ Social Hx	5	
Review of Systems	10	
Cultural Hx	5	
Functional Hx	5	
VS and Constitutional	2.5	
Skin, Hair , Nails	5	
Head, Face, Neck	5	
Eye, Ear, Nose, Throat Mouth	5	
Lymph, Breast, Axilla	5	
Chest , Lungs	5	
Cardiovascular	5	
Gastrointestinal, Genitourinary	5	
Musculoskeletal	5	
Neurological	5	
Psychological, Mental	2.5	
<b>TOTAL</b>		

**Comments:**

A 93-100  
 A- 91-92  
 B+ 89-90  
 B 85-88  
 B- 83-84  
 C+ 80-82  
 C 77-79  
 C- 75-76  
 D 70-74  
 F 69 and below

- **Students must receive a grade of B to successfully complete this assignment**

**APPENDIX C**  
**NURS 5140 – Health Promotion**  
**Research Paper Faculty Grading Rubric**

Paper Component	Possible Points	Student Points
<b>Introduction:</b> Detailed Intro (3 points) Level of Prevention Stated (1 point) Purpose Statement Provided (1 point)	5	
<b>Background Data:</b> Detailed Significance (15 points) Epidemiology Incidence Prevalence Risk Factors Cultural Implications Outcomes	15	
<b>Case Finding/Screening:</b> Problem Identification (15 points) Screenings Diagnostics History & Physical Other Measures	15	
<b>Interventions:</b> Including collaborative strategies to provide high quality, safe, patient centered care. 3-4 Specific Interventions (10 points) Barriers to Interventions (5 points)	15	
<b>Health Behavior Theory:</b> 1 Health Behavior Theory/Model Discussed to include ethical implications to care(7 points) Evidence-based Research to Support Theory/Model use in practice (3 points)	10	
<b>Conclusion:</b> Concise Closure (8 points) New Ideas for what is Needed Next (2 points)	10	
<b>APA Format:</b> Strictly Followed (10 points)	10	
<b>Writing Style:</b> 10-12 Pages Typed Text (5 points) No Grammar, Spelling, Punctuation Mistakes (2 points) Easy to Read with No Quotes used (3 points)	10	
<b>References:</b> 10-12 Evidence-based Research Articles (3 points) References <5 years old (2 points)	5	
<b>Resources:</b> 8-10 Community/Professional Resources Provided (5 points)	5	

<b>TOTAL POINTS</b>	100
---------------------	-----

**APPENDIX D**  
**NURS 5160: PRINCIPLES OF PRACTICE MANAGEMENT**  
**HEALTH POLICY AND LEADERSHIP PAPER**  
**FACULTY GRADING RUBRIC**

<b>Section</b>	<b>Points</b>		
<p><b>A. What is the problem/ topic?</b>  Why is this important?  What are the implications to practice, economy, and patient care?  Who are the stakeholders that the policy affects and how?</p>	30		
<p><b>B. What is the current legislation?</b>  What are the recent or proposed changes?  What are the barriers to change?  Who are the legislative stakeholders?  Describe your leadership analysis and its impact on the recent/ proposed policy change</p>	30		
<p><b>C. Your suggestions:</b>  What would be your suggestions for implementing change to the policy/ legislation? How would you accomplish this? (include specific persons that may need to be contacted ie. Representatives, congress persons, associations)  Based upon your leadership analysis how would you recommend to impact recent/ proposed policy change?</p>	30		
<p>D. APA format, critical thinking, spelling/ wording</p>	10		
<b>TOTAL</b>			
<p><b>Comments:</b></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 30%; vertical-align: top;"> A      93-100  A-     91-92  B+     89-90  B      85-88  B-     83-84  C+     80-82  C      77-79  C-     75-76  D      70-74  F      69 and below </td> <td style="width: 70%; vertical-align: top;"> <ul style="list-style-type: none"> <li>• <b>Students must receive a grade of B to successfully complete this assignment</b></li> </ul> </td> </tr> </table>	A      93-100 A-     91-92 B+     89-90 B      85-88 B-     83-84 C+     80-82 C      77-79 C-     75-76 D      70-74 F      69 and below	<ul style="list-style-type: none"> <li>• <b>Students must receive a grade of B to successfully complete this assignment</b></li> </ul>	
A      93-100 A-     91-92 B+     89-90 B      85-88 B-     83-84 C+     80-82 C      77-79 C-     75-76 D      70-74 F      69 and below	<ul style="list-style-type: none"> <li>• <b>Students must receive a grade of B to successfully complete this assignment</b></li> </ul>		



**APPENDIX E**

**Saint Louis University School of Nursing Student Clinical Evaluation  
Adult Gerontology Primary Care Masters NP and Adult Gerontology  
Primary Care Post Masters Certificate NP**

Student: \_\_\_\_\_ Site: \_\_\_\_\_

Preceptor: \_\_\_\_\_ Date: \_\_\_\_\_

Course: \_\_\_\_\_

Please rate your student using the following:

4= Above average                      3= Average/Satisfactory                      2= Needs improvement

1= Unsatisfactory                      N/A=No Opportunity or Non-Applicable

<b>PROFESSIONALISM</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>N/A</b>
Arrives to clinic prepared and professionally dressed					
Demonstrates self-directed learning					
Respects patients privacy					
Relates well with staff					
Relates well with preceptor					
Articulates the scope of NP practice					
<b>SKILLS</b>					
Uses appropriate interviewing techniques (obtains history)					
Performs organized & timely physical exam					
Performs appropriate physical exam					
Uses exam equipment properly					
Identifies appropriate ancillary test (labs/ imaging)					
Presents findings to preceptor accurately					
Uses correct medical terminology					
Utilizes electronic resources (web-based; apps) for evidence-based care (standards, medications, practice guidelines)					
Readily identifies normal and abnormal findings					
Develops reasonable differential diagnosis					

<b>Therapeutic Planning</b>					
Demonstrates knowledge in the treatment and evaluation of patients					
Formulates appropriate plan using evidence based practice					
Identifies appropriate indications for specific diagnosis					
Implements appropriate strategies for health promotion and patient education					
Identifies therapeutic pharmacological and non-pharmacological treatment (patient education)					
Recommends appropriate follow up and referral					
<b>Outcomes</b>					
Demonstrates culturally sensitive care					
Demonstrates appropriate developmental care					
Provides patient centered safe care					

In your opinion, did this student appropriately apply the knowledge and skills during this clinical experience? Yes \_\_\_\_\_ No \_\_\_\_\_

Preceptor comments/ suggestions:

Preceptor Signature / Date

---

**APPENDIX F**  
**NURS 5200 GENERAL RESEARCH METHODS**  
**FACULTY GRADING RUBRIC FOR DISCUSSION**

<b>GRADED DOMAINS AND SCALE</b>	<b>GRADING SCHEME</b>	
<b>Content</b>	<b>PASS</b>	<b>FAIL</b>
0 to 3 points possible	Contains all elements required and discussion of elements is in-depth, clear, and displays adequate attending to course content	One or more elements is under-developed, missing, unclear or displays minimal application to course content.
<b>Response to Peers</b>	<b>PASS</b>	<b>FAIL</b>
0 to 2 points possible	Contains all elements required and responses are in-depth, clear, based upon facts or logical synthesis, and displays adequate attending to course content.	Responses to peers is inconsistent with the original post, is lacking depth, is unclear, lacking thoughtful reflection or discourse, or is not contributory to the ongoing discussion.
<b>Etiquette</b>	<b>PASS</b>	<b>FAIL</b>
Maintaining appropriate etiquette is expected. Failure to maintain online etiquette may warrant vacating all points possible for a discussion thread.	All members of the class and their diverse views are treated with an attitude of respectfulness and dissenting views are conveyed and received with civility	One or more members of the class and/or their views are treated with disrespect and/or dissenting views are conveyed or received in manner inconsistent with civility

**APPENDIX G**  
**NURS 5080: ADVANCED PHARMACOLOGY**  
**FACULTY GRADING RUBRIC FOR CASE STUDIES**

<b>Content</b>	<b>Possible Points</b>	<b>Points Earned</b>	<b>Comments</b>
Demonstrate advanced competencies and skills when prescribing appropriate medications.	2		
Appropriate dose, frequency, and duration.	0.75 (each worth 0.25)		
Identify 5 possible side effects.	0.75		
Patient Education. Consider cultural sensitivities and theories in relation to pharmacotherapeutic prescribing.	1		
References	0.5		

## APPENDIX H

### NURS 5170: ADVANCED PATHOPHYSIOLOGY RUBRIC FOR FACULTY GRADING OF DISCUSSION BOARD

<b>OBJECTIVE</b>	<b>DEVELOPING (C)</b>	<b>ACCOMPLISHED (B)</b>	<b>EXEMPLARY (A)</b>
Shared thoughts	Sometimes shared well-considered thoughts	Often shared well-considered thoughts	Consistently shared well-considered thoughts and introduced new ideas
Displayed critical thinking (application, analysis, synthesis & evaluation)	Satisfactory development of critical thinking skills	Very good display of critical thinking skills	Excellent, clear display of critical thinking skills
Discussion entered promptly	Sometimes entered discussion promptly; occasionally posted original insights; responses to classmates may be brief	Usually entered discussion promptly; posted original insights and responded appropriately to classmates; postings sometimes elicit classmate or instructor response	Always entered discussion promptly; posted original insights and responded appropriately to classmates; postings nearly always elicit classmate or instructor response

**APPENDIX I**  
**SIMULATION CASE PRESENTATION**  
**FACULTY GRADING RUBRICS**



**Case 1**

**Jose**

**Instructions to the Student:**

**Chief Complaint:**

Jose is a 42 year old male, construction worker, who was in his usual state of health until 2 days ago when while playing soccer in an over 30 league he injured his left knee.

Vital signs, height, weight	BP: 136/86 P: 84 R: 18 T: 99 Ht: 70" Wt: 230 lbs.
-----------------------------	--

**Tasks: You have 30 minutes to complete the following:**

1. State the pre-examination differential diagnoses.
2. Obtain a focused History.
3. Perform a physical examination.
4. Re-examine and list the tentative differential diagnoses.
5. Identify your differential diagnoses, knowing that it will become conclusive.
6. List diagnostic tests you would obtain.
7. Assuming your diagnosis is correct, develop a therapeutic plan.
8. Educate the client.

Student Name \_\_\_\_\_ CASE # 1

Instructor \_\_\_\_\_

Date \_\_\_\_\_ -

**Instructor solicited information:**

**Pre-examination diagnoses after chart review and before seeing client.**

1. Possible muscle strain or ligament strain left leg
2. Obesity

<b>Grade: History:</b>	<b>30pts</b> _____
<b>PE:</b>	<b>30 pts</b> _____
<b>Diagnoses</b>	<b>15 pts</b> _____
<b>Treatment</b>	<b>25 pts</b> _____
<b>Total:</b> _____	

Student Name \_\_\_\_\_ CASE # 1

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	<b>Advanced</b>	<b>Proficient</b>	<b>Not Proficient</b>
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)



**History : 30pts**

(1pt)	Confirm chief complaint	
(8pt)	<b>HPI:</b> onset	
	Duration	
	Quality / Quantify Pain	
	What makes it better	
	What makes it worse	
	Popping noise	
	Weight bearing	
	Demonstrates cultural sensitivity while establishing rapport	
8pt	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	Medication/Allergies	
	Previous illness	
	Hospitalizations	
	Trauma	
	Surgeries	
	Chronic illness	
	Health maintenance	
2pt	<b>Family History</b>	
	Parents	
	Grandparents	
8pt	<b>Social &amp; Personal History</b>	
	Marital status, children	
	Work	
	Exercise	
	Smoking, ETOH, drugs	
	Diet	
	Self-testicular exam	
3pt	<b>Review of Systems: negative except</b>	
	Blackened thumb nail Left index finger	

**Client – Script for Physical Assessment**

<b>Instructor Check off (30pts)</b>	<b>System</b>	<b>Findings</b>
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	BP: 136/86 P: 84 R: 18 T: 99 Ht: 70" Wt: 230 lbs.
	General appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
	Skin	Warm dry, no lesions, cuts or bruises, suntanned, callused hands, blackened nail bed index finger left hand
	Eyes	PERRLA, red reflex intact, optic disc margins well defined, no nicking or hemorrhages, EOM's intact
	Neck	Supple, full ROM, no thyroid enlargement, or bruits
	Heart/peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
	Lungs	Clear to auscultation A and P, vesicular sounds throughout
	Abdomen	Bulky, rounded, soft BS X 4, soft, not tenderness masses or bruits, liver right midclavicular line 10 cm.
	Neurological	A and O X 3, gait antalgic, stiff left knee favors right, with limp, sensation intact, DTR's 2 + except left knee which was not tested.
	Extremities	Full ROM and strength without deformity all joints and extremities except left knee. No edema except left knee Left knee: + ballottement, effusion ROM 10° -90° with pain at extremes + medial joint line tenderness + Lachman's + Anterior drawer - Posterior drawer + McMurray's sign Normal sensation of foot Calf soft

### Key Criteria for Complete Eval of Knee:

1. ROM all extremities, **left knee 10-90°with pain at extreme**
2. position of patient standing, looks at both knees with knees exposed
3. position patient sitting, legs dangling over end of table
4. palpates each patella
5. presses thumb into joint
6. palpates along inner side – **pain on left**
7. palpates along outer side
8. positions patient supine (laying down on back)
9. ballottement: milk from above and below towards the knee – **positive effusion**
10. presses or taps on outer side
11. pushes patella
12. ask patient to bend right knee to chest; then straighten and lock
13. ask patient to bend left knee to chest; then straighten and lock.
14. with leg bent at 90°, hold knee and heel, rotates foot (McMurray's) **pain on left when rotated out**
15. Lachman's sign +
16. Anterior drawer +, Posterior drawer –
17. Repeat all on opposite side
18. Check calf, to eval for compartment syndrome – **soft**  
\* **Normal ROM knee (0°to 130°-135°**

### List of Tentative Diagnoses:

1. ACL tear
2. Medial meniscus tear
3. Possible fracture
4. Obesity
5. Lack of Exercise/Unhealthy life style
6. Pre-hypertension??

Instructor Grade:

Pre-exam diagnoses (5 points)\_\_\_\_\_

Post-exam diagnoses (10pts) \_\_\_\_\_

## Management Plan

Instructor check off	(30points)	Comments
	<b><i>Accurate treatment decisions (15pts)</i></b>	
	Diagnostic tests	
	Blood work: SMA 6 & SMA12 are WNL, total chol (246) HDL (36), LDL (190), possible FBS, urine (WNL)	
	AP, Lat L knee (no fracture)	
	MRI left knee (torn ACL, and medial meniscus)	
	<b><i>Therapeutic Communication(10 pts)</i></b>	
	Explanations easily understandable and culturally appropriate	
	Professional approach	
	Explained findings & diagnosis clearly	
	Referrals	
	Patient education addresses health promotion	
	Supportive therapies (see below)	

## Conclusive Diagnoses and Management Plan

Torn ACL and Medial Meniscus	Rest and elevation Ice or heat Ace wrap when up Anti-inflammatory, NSAIDS with food Either Motrin 600-800 TID Naprosyn 500 BID etc.... Give 2 weeks supply Educate on ACL and Meniscus tear: You can sometimes get by without this particular ligament, with the meniscus you have to wait and see. Try the anti-inflammatory meds and rest for 2 weeks if no improvement will refer to orthopod
Obesity/lack of exercise	Cholesterol and lipid panel for baseline either at this time or fasting on follow-up Evaluate 24 <sup>h</sup> diet history, discuss basis healthy eating plan Refer to dietitian Discuss exercise program Importance of warm up and cool down Aerobic vs. Anaerobic Ease into exercise, discuss plan Starting with walking advance over time to run work in other activities Explore social value of exercise
Preventive care	FLU Shot, Tetanus, Annual TB testing Referral to optometrist Skin screening and safety precautions since he is a construction worker Self testicular exam
Follow-up	2 weeks to eval knee, annual screening tests if not done at this time

## **Client – Script for the Client History (Instructor copy):**

CC: “my knee is hurt and swollen”

### **1. History of Present Illness**

- It swelled within 30 minutes
- When it occurred you were done for the day, you couldn't bear weight and had to be carried off the field.
- It really hasn't gotten any better, that's why you came in, your were unable to do your job so work sent you home.
- You never had any problem like this before.
- You can't move your knee like normal. It's very stiff. It doesn't lock, you don't think it gives out, but you have been trying not to use it.
- You haven't really done anything about your knee, except ice at the game and a few beers after for pain control.

### **2. Past Medical History**

- The only surgical procedure/hospitalization you have had is a hernia repair at age 20.
- No previous medical problems, ulcers or GI problems
- You don't take any medicines. You have no known allergies, or current immunizations.
- You wear glasses, but your last eye exam was about 5 years ago.

### **3. Family History**

- Your mom and dad are alive and well, you think maybe your dad has high Blood pressure.

### **4. Personal and Social History**

- You do not smoke. You never took any illicit drugs.
- You are a social drinker, you drink a few beers at games and after work with the guys.
- You have been married for 6 years and have 2 children.
- You have worked for the same company since you were 20 years old.

### **5A. Health Promotion**

- You have never thought too much of health care
- You gained about 10-15 lbs. over the last few years, like everyone else. Eat a lot of fast food, no breakfast, eat late at night, snack regularly, don't really care about what you eat.
- When the injury occurred, you heard a pop, everyone did.

### **5B. Health Promotion**

- You consider your work your exercise. You just got into this soccer league, it was your first game, you used to play a lot about 12 years ago. Your wife thinks this is “kid stuff”.

### **6. Review of Systems**

- In general you feel well
- You wear glasses, your last eye exam was five years ago
- Black nail bed index finger – left hand, from hammer 2 weeks ago, growing out fine.

## Student copy of PE findings

System	Findings
Vital signs, height, weight	BP: 136/86 P: 84 R: 18 T: 99 Ht. 70" Wt. 230 lbs.
General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
Skin	Warm, dry, no lesions, cuts or bruises, suntanned, callused hand,, blackened nail bed index finger left hand
Eyes	PERRLA, red reflex, intact, optic disc margins well defined, no nicking or hemorrhages, EOM's intact
Neck	Supple, full ROM, No thyroid enlargement, or bruits
Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
Lungs	Clear to auscultation A and P, vesicular sounds throughout
Abdomen	Bulky, rounded, soft, BS X 4, soft, no tenderness masses or bruits, Liver right midclavicular line 10 cm.
Neurological	A and O X 3, gait antalgic, stiff left knee favors right, with limp, sensation intact, DTR's 2+ except left knee which was not tested
Extremities	Full ROM and strength, without deformity all joints and extremities except left knee. No edema except left knee Left knee: + ballottement, effusion ROM 10° -90° with pain at extremes + medial joint line tenderness + Lachman's + Anterior drawer - Posterior drawer + McMurray's sign Normal sensation of foot Calf soft

## **Client – Script for the Client History:**

CC: “my knee is hurt and swollen”

### **1. History of Present Illness**

- It swelled within 30 minutes
- When it occurred you were done for the day, you couldn't bear weight and had to be carried off the field.
- It really hasn't gotten any better, that's why you came in, your were unable to do your job so work sent you home.
- You never had any problem like this before.
- Your can't move your knee like normal. Its very stiff. It doesn't lock, you don't think it gives out, but you have been trying not to use it.
- You haven't really done anything about your knee, except ice at the game and a few beers after for pain control.

### **2. Past Medical History**

- The only surgical procedure/hospitalization you have had is a hernia repair at age 20.
- No previous medical problems, ulcers or GI problems
- You don't take any medicines. You have no known allergies, or current immunizations.
- You wear glasses, but your last eye exam was about 5 years ago.

### **3. Family History**

- Your mom and dad are alive and well, you think maybe your dad has high Blood pressure.

### **4. Personal and Social History**

- You do not smoke. You never took any illicit drugs.
- You are a social drinker, you drink a few beers at games and after work with the guys.
- You have been married for 6 years and have 2 children.
- You have worked for the same company since you were 20 years old.

### **5A. Health Promotion**

- You have never thought too much of health care
- You gained about 10-15 lbs. over the last few years, like everyone else. Eat a lot of fast food, no breakfast, eat late at night, snack regularly, don't really care about what you eat.
- When the injury occurred, you heard a pop, everyone did.

### **5B. Health Promotion**

- You consider your work your exercise. You just got into this soccer league, it was your first game, you used to play a lot about 12 years ago. Your wife thinks this is “kid stuff”.

### **6. Review of Systems**

- In general you feel well
- You wear glasses, your last eye exam was five years ago
- Black nail bed index finger – left hand, from hammer 2 weeks ago, growing out fine.



**Case #2**

**Mike Kelly**

**Instructions to the Student:**

**Chief Complaint:**

Mike is a 22 year old male, college student, who was in his usual state of health until 3 days ago when he noticed ear fullness, nasal congestion, and a sore throat. He is new to your practice.

Vital signs, height, weight	BP: 126/76 P: 84 R: 18 T: 99 Ht: 70" Wt: 180 lbs.
-----------------------------	--

**Tasks: You have 30 minutes to complete the following:**

9. State the pre-examination differential diagnoses.
10. Obtain a focused History.
11. Perform a physical examination.
12. Re-examine and list the tentative differential diagnoses.
13. Identify your differential diagnoses, knowing that it will become conclusive.
14. List diagnostic tests you would obtain.
15. Assuming your diagnosis is correct, develop a therapeutic plan.
16. Educate the client.



**Student Name** \_\_\_\_\_

**Instructor** \_\_\_\_\_

**Date** \_\_\_\_\_ -

**Instructor solicited information:**

**Pre-examination diagnoses after chart review and before seeing client.**

**Otitis media; acute sinusitis; pharyngitis (r/o strep); viral syndrome**

**Grade: History:** **30pts** \_\_\_\_\_

**PE:** **30 pts** \_\_\_\_\_

**Diagnoses** **15 pts** \_\_\_\_\_

**Treatment** **25 pts** \_\_\_\_\_

**Total:** \_\_\_\_\_

Student Name \_\_\_\_\_ CASE # 2

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	Advanced	Proficient	Not Proficient
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

**History : 30pts**

(1pt)	Confirm chief complaint	
(8pt)	<b>HPI:</b> onset	
	Duration	
	Quality	
	Quantify pain	
	What makes it better	
	What makes it worse	
	Associated symptoms—ear fullness	
	Demonstrates cultural sensitivity while establishing rapport	
8pt	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	Medication (prescription and OTC)	
	Allergies	
	Previous illness	
	Hospitalizations	
	Trauma	
	Surgeries	
	Chronic illness	
	Health maintenance	
2pt	<b>Family History</b>	
	Parents	
	Grandparents	
8pt	<b>Social &amp; Personal History</b>	
	Marital status	
	Work & Skin protection	
	Exercise	
	Smoking, ETOH, drugs	
	Diet	
	Self-testicular exam	
3pt	<b>Review of Systems: negative except</b>	
	As pertinent to HPI	

**Client – Script for Physical Assessment**

<b>Instructor Check off (35pts)</b>	<b>System</b>	<b>Findings</b>
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	BP: 126/76 P: 84 R: 18 T: 99.6 Ht: 70” Wt: 180 lbs. BMI=25.8
1	General appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
2	Skin	Warm dry, no lesions, cuts or bruises, suntanned, callused hands, blackened nail bed index finger left hand; No rashes or lesions
6	Eyes/Nose/Sinus	Sclera white. Conjunctiva pink, not injected. Sinuses non-tender. Erythema present but turbinates not swollen; yellow discharge present
6	Ears	Auricles without tenderness. Canals clear. L TM has fluid present but not erythematous; R is pearly with normal landmarks
6	Mouth Pharynx	Dentition good; oral mucosa without lesions; Tonsils without exudate but 3+ and cryptic. Halitosis present Pharynx: Erythema present
6	Neck/Lymph	Supple, full ROM, no thyroid enlargement, or bruits; Anterior cervical lymphadenopathy present bilaterally
3	Heart/peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
3	Lungs	Clear to auscultation A and P, vesicular sounds throughout
2	Abdomen	Flat, soft BS X 4, soft, not tenderness masses or bruits, liver right midclavicular line 10 cm.

Instructor Grade:  
 Pre-exam diagnoses (5 points) \_\_\_\_\_

Post-exam diagnoses (10pts) \_\_\_\_\_

**Management Plan**

Instructor check off	(30points)	Comments
	<i>Accurate treatment decisions (15pts)</i>	
5	Diagnostic tests: Strep screen positive	
5	Appropriate antibiotic (PenVK is first line) And supportive therapies: Salt water gargles, stay home until fever free for 24 hours; Analgesics; fluids,	
5	Smoking-importance of smoking cessation & possible strategies.	
	<i>Therapeutic Communication(15 pts)</i>	
3	Explanations easily understandable and culturally appropriate	
2	Professional approach	
3	Explained findings & diagnosis clearly	
2	Referrals	
2	Patient education addresses health promotion	
3	Supportive therapies (see below)	

**Conclusive Diagnoses and Management Plan**

Smoking	Smoking cessation
Preventive care	FLU Shot, Tetanus, Annual TB testing Referral to optometrist Skin screening and safety precautions since he is a construction worker Self testicular exam
Follow-up	

## **Client – Script for the Client History (Instructor copy):**

**CC: “I have had a sore throat for 3 days”**

### **1. History of Present Illness**

You woke up with a really sore throat on Saturday morning (3 days ago). If asked on a scale of 1-10, you rate this sore throat as an “8”. You haven’t taken your temp but you think you have had a fever because you get chilled and then you sweat. You feel “bad”—you have muscle and joint aches and are fatigued. Tylenol and Advil make you feel better and you have been using Cepacol lozenges. You have no appetite. You stayed home from school yesterday. You have been laying on the couch and sleeping a lot or watching TV. Your housemates are healthy.

Today your ears feel full particularly on the Left side and your nose is more congested. If asked, it has been congested for about 5 days.

Your sister (age 15) had strep and mono a few weeks prior

### **2. Past Medical History**

- The only surgical procedure/hospitalization you have had is a hernia repair at age 6.
- No previous medical problems
- You don’t take any medicines. You have no known allergies, or current immunizations.
- You wear glasses, but your last eye exam was about 3 years ago.

### **3. Family History**

- Your mom and dad are alive and well, you think maybe your dad has high Blood pressure.
- You are the oldest of 4 children. Your sister (age 15) had strep and mono a few weeks prior

### **4. Personal and Social History**

- You smoke ½ to ¾ ppd. You never took any illicit drugs.
- You are a social drinker, you drink a few beers at games and on the weekends with the guys.
- You don’t presently have a girlfriend but you have dated in the past
- You have worked as a Barista for the same company since you were 18 years old to work your way through college.
- You share an old house with 2 other guys

### **5A. Health Promotion**

- You have never thought too much of health care
- You gained about 10 lbs. over the last two years. Eat a lot of fast food, no breakfast, eat late at night, snack regularly, don’t really care about what you eat.
- You consider your work your exercise. You just got into a soccer league.

### **6. Review of Systems**

Unsure if had fevers at home, but felt hot, +chills, +nausea, no LOC, no neck pain, no visual changes, no tinnitus, some nasal congestion, , no lymph tenderness or enlargement, no cough, no chest pain, not sleeping well because of sore throat pain

No rashes or skin discolorations; no easy bruising

No HA or dizziness; No vision changes; Denies nosebleeds; but does have some yellowish nasal drainage

Feels like he has constant “bad breath”; Occasional tickling cough which makes his throat hurt

Denies cardio-respiratory difficulties

Occasional constipation and gas pain—otherwise no bowel problems

Denies urinary difficulties

Denies any skin or hair changes; heat intolerance

### Student copy of PE findings

System	Findings
Vital signs, height, weight	BP: 126/76 P: 84 R: 18 T: 99.6 Ht. 70" Wt. 180 lbs. BMI=25.8
General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
Skin	Warm, dry, no lesions, cuts or bruises, suntanned, callused hand,, blackened nail bed index finger left hand
Eyes/Nose/Sinuses	Sclerae white. Conjunctiva pink, not injected. Sinuses non- tender. Erythema present but turbinates not swollen; yellow discharge present
Ears	Auricles without tenderness. Canals clear. L TM has fluid present but not erythematous; R is pearly with normal landmarks
Mouth and Throat	Dentition good; oral mucosa without lesions; Tonsils without exudate but 3+ and cryptic. Halitosis present Pharynx: Erythema present
Neck	Supple, full ROM, no thyroid enlargement, or bruits; Anterior cervical lymphadenopathy present bilaterally
Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
Lungs	Clear to auscultation A and P, vesicular sounds throughout
Abdomen	Flat, soft, BS X 4, soft, no tenderness masses or bruits, Liver right midclavicular line 10 cm.

## **Client – Script for the Client History:**

CC: “My throat has been sore for 3 days”

### **1. History of Present Illness**

You woke up with a really sore throat on Saturday morning (3 days ago). If asked on a scale of 1-10, you rate this sore throat as an “8”. You haven’t taken your temp but you think you have had a fever because you get chilled and then you sweat. You feel “bad”—you have muscle and joint aches and are fatigued. Tylenol and Advil make you feel better and you have been using Cepacol lozenges. You have no appetite. You stayed home from school yesterday. You have been laying on the couch and sleeping a lot or watching TV. Your housemates are healthy.

Today your ears feel full particularly on the Left side and your nose is more congested. If asked, it has been congested for about 5 days.

Your sister (age 15) had strep and mono a few weeks prior

### **2. Past Medical History**

- The only surgical procedure/hospitalization you have had is a hernia repair at age 6.
- No previous medical problems
- You don’t take any medicines. You have no known allergies, or current immunizations.
- You wear glasses, but your last eye exam was about 3 years ago.

### **3. Family History**

- Your mom and dad are alive and well, you think maybe your dad has high Blood pressure.
- You are the oldest of 4 children. Your sister (age 15) had strep and mono a few weeks prior

### **4. Personal and Social History**

- You smoke ½ to ¾ ppd. You never took any illicit drugs.
- You are a social drinker, you drink a few beers at games and weekends with the guys.
- You don’t presently have a girlfriend but you have dated in the past
- You have worked as a Barista for the same company since you were 18 years old working your way through college.
- You share an old house with 2 other guys

### **5A. Health Promotion**

- You have never thought too much of health care
- You gained about 10 lbs. over the last two years. Eat a lot of fast food, no breakfast, eat late at night, snack regularly, don’t really care about what you eat.
- You consider your work your exercise. You just got into a soccer league.

### **6. Review of Systems**

Unsure if had fevers at home, but felt hot, +chills, +nausea, no LOC, no neck pain, no visual changes, no tinnitus, some nasal congestion, , no lymph tenderness or enlargement, no cough, no chest pain, not sleeping well because of sore throat pain

No rashes or skin discolorations; no easy bruising

No HA or dizziness; No vision changes; Denies nosebleeds; but does have some yellowish nasal drainage

Feels like he has constant “bad breath”; Occasional tickling cough which makes his throat hurt

Denies cardio-respiratory difficulties

Occasional constipation and gas pain—otherwise no bowel problems

Denies urinary difficulties

Denies any skin or hair changes; heat intolerance





**Case: # 3**

**Kelsey**

**Instructions to the Student:**

**Chief Complaint:** I feel terrible; I keep getting pain and diarrhea

HPI: Kelsey is an 18 y.o female or male who periodically seen for minor complaints. Today she comes in with a complaint of having problems with abdominal pain following meals. The pain will go away after she has a bowel movement but sometimes she also gets diarrhea. Sometimes she is constipated.

Vital signs, height, weight	Female: Height: 5'4" Weight: 110 Male : Height 5'10' Wt : 165 Temp: 97.8 Pulse =72 Tanner level: V
-----------------------------	--

**Task**

You have 30 minutes to:

1. State the possible differential diagnoses at the onset
2. Obtain a focused history
3. Perform a focused physical assessment
4. Re-examine the list differential diagnoses
5. State your diagnosis
6. Develop a therapeutic plan include, all of the following if appropriate:  
pharmacological, nursing/supportive therapies health promotion and health education, and follow-up.

**Student Name** \_\_\_\_\_

**Instructor** \_\_\_\_\_

**Date** \_\_\_\_\_ -

**Instructor solicited information**  
**Pre-examination diagnoses before seeing the patient**

Abdominal Pain

- 1) IBS
- 2) H. Pylori infection
- 3) Lactose intolerance
- 4) Infectious diarrhea

<b>Grade: History:</b>	<b>30 pts</b> _____
<b>PE:</b>	<b>30 pts</b> _____
<b>Diagnoses</b>	<b>15 pts</b> _____
<b>Treatment</b>	<b>25 pts</b> _____

**Total:** \_\_\_\_\_

Student Name \_\_\_\_\_ CASE # 3

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	<b>Advanced</b>	<b>Proficient</b>	<b>Not Proficient</b>
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

**History : 30pts**

(2pt)	Confirm chief complaints	
(10pt)	<b>HPI:</b>	
	Demonstrates cultural sensitivity while establishing rapport	
	vague onset	
	Associated symptoms: She has lost 10lbs but was trying to	
	Progression	
	Alleviating factors :	
	Aggravating factors:	
5pt	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	Medication	
	Allergies	
	Previous illness:	
	Hospitalizations, surgeries, trauma (none)	
	Health maintenance: self-breast exam	
2pt	<b>Family History</b>	
	Parents: A&W, father has HTN Should ask about colon cancer and celiac disease	
	Grandparents: A&W, pgf  has NIDDM	
8pt	<b>Social &amp; Personal History</b>	
	Home environment,	
	School (relationships, grades)	
	Exercise	
	Risk taking (Smoking, ETOH, drugs, seat belt use)	
	Diet	
3pt	<b>Review of Systems: negative</b>	
	Student should particularly ask about hair sx, if female – menstrual cycle	

Rome Criteria Irritable Bowel Syndrome can be diagnosed based on at least 12 weeks (which need not be consecutive) in the preceding 12 months, of *abdominal discomfort or pain that has two out of three of these features:*

1. Relieved with defecation; and/or
2. Onset associated with a change in frequency of stool; and/or
3. Onset associated with a change in form (appearance) of stool.

**Symptoms that Cumulatively Support the Diagnosis of IBS:**

1. Abnormal stool frequency (may be defined as greater than 3 bowel movements per day and less than 3 bowel movements per week);
2. Abnormal stool form (lumpy/hard or loose/watery stool);
3. Abnormal stool passage (straining, urgency, or feeling of incomplete evacuation);
4. Passage of mucus;
5. Bloating or feeling of abdominal distension.

**Supportive Symptoms of IBS:**

1. Fewer than three bowel movements a week
2. More than three bowel movements a day
3. Hard or lumpy stools
4. Loose (mushy) or watery stools
5. Straining during a bowel movement
6. Urgency (having to rush to have a bowel movement)
7. Feeling of incomplete bowel movement
8. Passing mucus (white material) during a bowel movement
9. Abdominal fullness, bloating, or swelling

**Red Flag symptoms which are NOT typical of IBS:**

Pain that often awakens/interferes with sleep  
Diarrhea that often awakens/interferes with sleep  
Blood in your stool (visible or occult)  
Weight loss  
Fever  
Abnormal physical examination

**Client – Script for Physical Assessment**

<b>Instructor check off (20pts)</b>	<b>System</b>	<b>Findings</b>
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	Female: Height: 5'4" Weight: 110/ Male : Height 5'10" Wt : 165 Temp: 97.8 Pulse =72 Tanner level: V
	General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
	Skin	describes wearing no makeup (female) Warm, dry, no cuts or bruises, few blackheads and pimples on face
	Eyes	PERRLA, EOMs intact
	Ears	Auricles NT, symmetric, TMs pearly grey, nl landmarks
	Nose	Nostrils patent, no discharge, septum midline and intact
	Mouth & Pharynx	No lesions, dentition good, uvula rises symmetrically, gag intact, pharynx clear without erythema or exudates
	Neck	Supple, full ROM, No thyroid enlargement, or bruits, no lymphadenopathy
	Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
	Lungs	Clear to auscultation A and P, vesicular sounds throughout
	Abdomen	flat, soft, BS X 4, soft, no tenderness masses or bruits, no organomegaly

## List of Differential Diagnoses

Abdomen:

1. IBS

## Final Diagnosis

IBS

## Management Plan

Instructor check off	(30points)	Comments
	<i>Accurate treatment decisions (15pts)</i>	
	Diagnostic tests: TSH: normal range CBC: normal limits	
	Pharmacology:	
	<i>Therapeutic Communication(15 pts)</i>	
	Explanations easily understandable and culturally appropriate	
	Professional approach	
	Explained findings & diagnosis clearly	
	Importance of follow up (4weeks)	
	Patient education addresses : goals in life, sexual activity, ETOH health promotion:	
	Medical therapies:	
	Referral to Student Counseling	

Smoking: TTM: pre-contemplation Bring up at each visit

Best combination of medicine (Imodium, antispasmodic, antidepressant, Lotronex) diet, counseling, and support to control your symptoms. Lotronex has been reapproved with significant restrictions by the U.S. Food and Drug Administration (FDA) for women with severe IBS who have not responded to conventional therapy and whose primary symptom is diarrhea. However, even in these patients, Lotronex should be used with great caution because it can have serious side effects such as severe constipation or decreased blood flow to the colon. (Prescriber must be registered) Evidence is poor to fair for the use of antidepressants.

Stress management is an important part of treatment for IBS. Stress management options the student should include

- stress reduction (relaxation) training and relaxation therapies such as meditation
- regular exercise such as walking or yoga
- changes to the stressful situations in your life
- adequate sleep

## Script for Patient (Instructor copy)

You are an 18 year old girl and comes in alone.  
You don't appear to be in any immediate distress.

CC "I feel terrible, I keep getting pain and diarrhea"

### History of Present Illness

You have noticed that you seem to get diarrhea frequently. You find it potentially embarrassing. But sometimes you get constipated too. You eat at the school cafeteria and try to get some fruits and vegetables but it seems they always serve the same thing. Menarche at 13 and her menstrual periods have been regular). The diarrhea comes after meals. The pain goes away as after you have had a BM, but it seems to take a while before you feel finished. You haven't really tried to take any medicine because you don't know what to take. You are embarrassed in answering questions.  
You tend to get cold easily.

### Past Medical History

No known allergies. No prescription medications  
You have enjoyed good physical health in the past  
No major illness, but had atopic dermatitis as child, none lately  
No significant skin problems in family, parents alive and well

### Personal and Social History

You smoke with friends—not more than ¼ ppd, has an occasional drink at a party, has never been sexually active. Likes camping and skiing and helps out at a local veterinarian's office. Doesn't do SBE; no pap to date. No exercise exactly but occasionally plays volley ball.

You don't want to stop smoking (if asked) wants to be like friends

Will play volley ball more often (if asked)

Will check BP once a year

Eats fruits and vegetables and occasionally chocolate you eat dairy products and have not noticed any symptoms related to the intake of dairy.

Lives in college dorm. Gets along well with mother and father. No gun in house.

You have not traveled out of the country.

**ROS:** negative

### Physical Exam:

You are a little concerned about the physical exam and ask questions about what the nurse practitioner is finding. For example, why are you looking in my ears? "They are fine."

When the nurse practitioner tells you, you want to know what that means

### Treatment Plan:

You want to know what the medicine is and why your have to take it.

For the IBS you look sad/perturbed. Ask many questions and have difficulty understanding the directions. Say you just want to take a pill to keep you regular.



## Student copy of physical findings

System	Findings
Vital signs, height, weight	Female: Height: 5'4" Weight: 110/ Male : Height 5'10' Wt : 165 Temp: 97.8 Pulse =72 Tanner level: V
General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant
Skin	Face describes wearing no makeup (female) Warm, dry, no cuts or bruises,
Eyes	PERRLA, EOMs intact
Ears	Auricles NT, symmetric, TMs pearly grey, nl landmarks
Nose	Nostrils patent, no discharge, septum midline and intact
Mouth & Pharynx	No lesions, dentition good, uvula rises symmetrically, gag intact, pharynx clear without erythema or exudates
Neck	Supple, full ROM, No thyroid enlargement, or bruits, no lymphadenopathy
Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, no bruits or thrills appreciated.
Lungs	Clear to auscultation A and P, vesicular sounds throughout
Abdomen	flat, soft, BS X 4, soft, no tenderness masses or bruits, no organomegaly

## **Script for Patient (Student copy)**

You are an 18 year old girl and comes in alone.  
You don't appear to be in any immediate distress.

CC "I feel terrible, I keep getting pain and diarrhea"

### **History of Present Illness**

You have noticed that you seem to get diarrhea frequently. You find it potentially embarrassing. But sometimes you get constipated too. You eat at the school cafeteria and try to get some fruits and vegetables but it seems they always serve the same thing. Menarche at 13 and her menstrual periods have been regular. The diarrhea comes after meals. The pain goes away as after you have had a BM, but it seems to take a while before you feel finished. You haven't really tried to take any medicine because you don't know what to take. You are embarrassed in answering questions.  
You tend to get cold easily.

### **Past Medical History**

No known allergies. No prescription medications  
You have enjoyed good physical health in the past  
No major illness, but had atopic dermatitis as child, none lately  
No significant skin problems in family, parents alive and well

### **Personal and Social History**

You smoke with friends—not more than ¼ ppd, has an occasional drink at a party, has never been sexually active. Likes camping and skiing and helps out at a local veterinarian's office. Doesn't do SBE; no pap to date. No exercise exactly but occasionally plays volley ball.

You don't want to stop smoking (if asked) wants to be like friends

Will play volley ball more often (if asked)

Will check BP once a year

Eats fruits and vegetables and occasionally chocolate You eat dairy products and have not noticed any symptoms related to the intake of dairy.

Lives in college dorm. Gets along well with mother and father. No gun in house.

You have not traveled out of the country.

**ROS:** negative

### **Physical Exam:**

You are a little concerned about the physical exam and ask questions about what the nurse practitioner is finding. For example, why are you looking in my ears? "They are fine."

When the nurse practitioner tells you, you want to know what that means

### **Treatment Plan:**

You want to know what the medicine is and why your have to take it.

For the IBS you look sad/perturbed. Ask many questions and have difficulty understanding the directions. Say you just want to take a pill to keep you regular.

**CASE 4**

**Mrs. H.**

**Instructions to the Student**

Mrs. H. is a 41 year old white female who first visited the clinic one month ago for a women’s health exam (all negative) under the Missouri Department of Health Breast and Cervical Cancer Project, because she is uninsured. Her income is at the 150% poverty level. At the time of her women’s health exam, her mean blood pressure was an asymptomatic 154/94 (LA) with no orthostatic changes, no history of hypertension. Since that time, she has returned twice to the clinic for a blood pressure check. Two weeks ago, her mean left arm blood pressure was 162/98; and, one week ago, 166/96. There were no significant right arm/left arm differences. She has brought her B/P record with her. She returns today to consult with you regarding diagnosis and treatment.

Vital signs, height, weight	Baseline information	170/96 LA (sitting and standing, large cuff) 166/94 RA (sitting) HR: 72 R: 18 T: 97.8 F Height: 5’6” Weight: 190#
-----------------------------	----------------------	--

**Tasks:**

You have 30 minutes to

1. State pre-examination differential diagnosis and their rationale.
2. Obtain a focused history.
3. Perform a physical assessment.
4. Re-examine and list tentative differential diagnoses.
5. Identify your diagnosis, knowing that it will become conclusive only after diagnostic test results are obtained.
6. List diagnostic test you would obtain.
7. Assuming your diagnosis is correct, develop a therapeutic plan, including goals blood pressure.
8. Educate.

**Student Name** \_\_\_\_\_ **CASE # 4**

**Instructor** \_\_\_\_\_

**Date** \_\_\_\_\_ -

**Instructor solicited information**

**Pre-examination diagnoses before seeing the patient**

High BP

Cushings, pheocromocytoma, coarctation of the aorta, aldosteronism, meds, renal artery stenosis, renal disease, essential hypertension

Thirst

Diabetes mellitus, dehydration, diabetes insipidus, cancer, gastrointestinal disease; vomiting, diarrhea.

<b>Grade: History:</b>	<b>30 pts</b> _____
<b>PE:</b>	<b>30 pts</b> _____
<b>Diagnoses</b>	<b>15 pts</b> _____
<b>Treatment</b>	<b>25 pts</b> _____

**Total:** \_\_\_\_\_

Student Name \_\_\_\_\_ CASE # 4

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	<b>Advanced</b>	<b>Proficient</b>	<b>Not Proficient</b>
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

**History : 30pts**

(1pt)	Confirm chief complaint	
(9pt)	HPI: Onset	
	progression	
	Symptoms: (target organs: Heart—DOE, SOB, Orthopnea, PND) Brain: vision, speech, weakness of extremity Kidney—any history Eyes—exams, any retinal changes	
	Secondary HTN: symptoms r/t 1. Cushings Disease 2. Kidney and renal 3. BCP and/or other meds 4. Aldosteronisins 5. Pheochromocytoma 6. Hyper or hypothyroid 7. ?? or aorta 8. Connective tissue disease 9. Polycythemia	
	Thirst--Diabetes mellitus 1. onset 2. duration	
	Demonstrates cultural sensitivity while establishing rapport	
8pt	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	Medication	
	Allergies	
	Previous illness	
	Hospitalizations	
	Trauma	
	Surgeries	
	Chronic illness	
	Health maintenance	
2pt	<b>Family History</b>	
	Parents	
	Grandparents	
8pt	<b>Social &amp; Personal History</b>	
	Home environment, Friends	
	Work	
	Exercise	
	Smoking, ETOH, drugs	
	Diet	
	Self-breast exam	
2pt	<b>Review of Systems:</b>	
	Negative except thirst	

**Instructor Checklist: Physical assessment (30pts)**

Pts	System	Rationale	Findings
		Demonstrates cultural	Ie. Draping, covering/uncovering,

		sensitivity during physical examination	gender of provider/religious preferences observed
	Vital signs, height, weight	Baseline information	170/96 LA (sitting and standing, large cuff) 166/94 RA (sitting) HR: 72 R: 18 T: 97.8 F Height: 5'6" Weight: 190#
	Facies and general appearance	With HTN, want to r/o Cushing's, hyperthyroidism, SLE	Pleasant appearing, obese middle-aged female with normal fascies and general appearance. No facial changes characteristic of Cushing's, hyperthyroidism, nor SLE. No truncal obesity or abnormal fat distribution over spine.
	Skin, lip color	Good indicator of adequate oxygenation	Skin color good, lips pink
	HEENT	Especially important to look for xanthomas and signs of retinal hemorrhage and AV nicking as patient may have a long-standing problem with HTN	Normocephalic, no xanthomas. PEERLA. EOMS intact. Fundoscopic: Red flex present, not nicking or AV hemorrhage. TM intact bilaterally. Pharynx: swallows without difficulty, no erythema Neck: nonpalpable thyroid, no carotid burit, no lymphadenopathy.
	Lungs	With patient's cat allergy, look for any signs of external supraclavicular or intercostals retractions, wheezing. With history of HTN, look for rales.	No supraclavicular nor intercostals retractions; AP/lateral diameter WNL; chest expansion WNL; inspiratory/expiratory ratio at trachea WNL. Lungs clear to auscultation and percussion; no wheezing, rales, no rhonchi.
	Heart	With HTN, be especially alert for increased heart size, arrhythmias, gallops murmurs	Apex at 5 <sup>th</sup> ICS at MCL. RRR; S1 greater than S2 apex. No murmurs or gallop rhythm noted.
	Abdomen	With HTN, look especially for hepatomegaly and examine for abdominal aorta and renal aorta bruits and/or pulsating masses	Obese abdomen. No masses noted. BS present in all four quadrants. No abdominal/renal bruits. No organomegaly.
	Kidney	With HTN, important to palpate size of kidney. Also, check for flank tenderness.	Unable to palpate kidneys due to obesity. No flank tenderness.
	Extremities, including feet	With HTN, check for peripheral edema and also check leg circulation. Especially, check color of toes and feet. Check distribution of hair. Check posterior popliteal, posterior tibius, and dorsalis pedis pulses. Check feet in the event that the patient does turn out to have diabetes.	No peripheral edema. Color of toes and feet good. Capillary return WNL. Posterior popliteal, posterior tibius, and dorsalis pedis present and equal bilaterally at 3+. Skin on feet and between all digits intact. No calluses. Nails in good repair
	Rectal/pelvic	Deferred.	See exam of two months ago
	Neurologic	Important in HTN to detect any deficit and to obtain a baseline.	Alert, oriented x3, exhibits coordinated gait. Romberg negative. Perceives light touch and pain in all extremities, bilaterally. Vibratory sense intact. Brachial, radial, patellar, and Achilles DTRs 2+. No apparent neuro defet.

**Differential Diagnosis Post H & P**  
**Stage 2 HTN**

Probable not secondary HTN  
No signs of Cushing's renal disease, renal artery stenosis, or connective tissue disease on history and physical. Still need to check CBC, U/A, BUN, and creatinine.

**Essential HTN**

No family history of diabetes but has signs and symptoms of diabetes.  
Patient is overweight and eats a high fat diet. Does little exercise.  
BP over 120/80-

**Final Diagnoses**

**Essential HTN**

**Adult Onset DM**

**Obesity**

**Other:**

In need of tetanus booster

Uninsured

Sexual activity

Grade: Pre-exam 5pts \_\_\_\_\_

Post-exam 10pts\_\_\_\_\_



## Management Plan

Instructor check off	(25points)	Comments
	<i>Accurate treatment decisions (15pts)</i>	
	Diagnostic tests: see below	
	Pharmacology: HTN - HCTZ or Ace Inhibitor AODM Metformin 500 mg.	
	<i>Therapeutic Communication(15 pts)</i>	
	Explanations easily understandable and culturally appropriate	
	Professional approach	
	Explained findings & diagnosis clearly	
	Importance of follow up (6weeks)	
	Patient education addresses health promotion:	
	Supportive therapies: Diet,Exercise Eye exam, Microalbuminuria or urine protein, Feet exam, Skin care, Sick days Card in wallet	

Test	Rationale
CBC	R/o polycythemia. Results: Hb 13; Hct 40; WBC 6.8 RCB 4.5; Platelets 300.
FBS	R/p diabetes mellitus. Results: 208
Lipid panel (Obtain now as patient is obese and has dietary pattern not conducive to normal lipids).	Obtain baseline reading; look especially at total values and at HDL and LDL. Results: Cholesterol 200; HDL 55; LDL; 100
Electrolytes (obtain now as thiazide is most cost-effective drug available to client; although a cardioselective beta blocker would work, but they are more expensive; calcium channel blockers are too expensive)	Obtain baseline, especially if thiazide diuretic is to be prescribed. Sodium 142; Potassium 4.0; Carbon dioxide 24; Phosphate 3.5.
BUN/creatinine/Uric Acid/urinalysis (obtain now)	Obtain baseline. Look for signs of renal problems as etiology of or as indicator of end-organ damage. BUN 11; Creatinine 0.8; Uric Acid 5.3; Urinalysis WNL
ECG (obtain now)	Obtain baseline. Examine for end organ damage. WNL

**Script for the Patient (Instructor copy):**

You are a 41 year old white female who has been asked to return to the clinic because of high BP readings. You had originally gone to the BCCCP project for breast and cervical cancer screening because you have no insurance. Two weeks ago your BP was 164/94 with no orthostatic changes. Since then you have returned twice to the clinic and your BP was 172/98 and then one week ago: 166/96. You have come to consult with the NP today about your BP.

**PMH:** Tubal ligation at age 30.

Two vaginal deliveries with no complications. No other hospitalizations.

Sprained ankle at age 32. No MVA.

You had whooping cough and chicken pox as a child. You have had no serious adult illnesses.

Last eye exam one year ago. You have had trouble reading but were advised to get OTC reading glasses at Walmart.

Yearly flu shot from the Health department. Your last tetanus shot was 12 years ago, when you cut your hand cleaning out a sewer drain on your farm.

No seasonal allergies, but every time you visit your daughter your eyes itch, you get a stuffy nose, and your chest gets a little tight. Your daughter has 2 cats. It goes away within an hour or so after you leave. So now your daughter visits you instead of you visiting her.

No prescription medications. Occasionally you take Tylenol for aches.

**FH:** Mother: CVA at age 63 and died about 2 years later, having never fully recovered. Your only sibling, a brother, died at age 60 of a heart attack. Your father is still alive at age 70, but he had CABG about 5 years ago. There is no family history of DM. Your maternal Grandmother died of breast cancer. All other grandparents died of old age.

**Social & Personal Hx:** your husband died 3 years ago and you live with your 20 year old son who attends school at the local junior college. Your daughter lives nearby and visits frequently. You are active in your church group. No ETOH, tobacco, nor illegal drugs. You work as a clerk at a hardware store, 38 hours/week.

**ROS:**

Head: no headaches, no history of seizures, fainting, or dizzy spells

Your last eye exam shows one year ago. You have no trouble reading with the glasses your eye doctor said to buy OTC at Walmart.

No sinus problems, no teeth/mouth/throat problems

Neck is fine and it moves well as do all your joints

Your lungs are fine. You have no shortness of breath, walk up hills and stairs fine, have never awakened at night short of breath. You do not smoke.

Neither with exercise or at rest have you ever had any chest pressure or pain, no left shoulder or arm pain, no left index finger pain, no throat, neck or jaw pain. You have never had high blood pressure before.

You have no difficulty eating. You have no abdominal pain or discomfort. You are not constipated nor do you get diarrhea – just normal stools, usually once/day.

You have never had a kidney or bladder infection.

Your pregnancies were all normal, no complications. (Your other female exam information was taken at the last visit and there is no need to repeat it here).

Your joints are fine. You walk, OK. You do not experience leg cramps when walking, nor do you have abnormal tingling or other sensations in your hands or feet.

You never had a thyroid problem. You do have thirst but you do have excess hunger. You are getting up more often once during the night to void and you only use the bathroom at work during a coffee break and at lunch. You would like to lose about 15 pounds. Your 24 hour diet recall is:

Breakfast: two eggs, toast, coffee  
Lunch: Diet coke, Hardy's cheeseburger, fries  
Supper: Pork chop, mashed potatoes, cake  
TV snack: Popcorn

You have never been depressed, except after your husband died- but you think that was grief. You eventually felt better and each day you try to be upbeat. You do not feel stressed. You sleep fine, about 7 hours/night. You have noticed no change in weight or eating habits. You feel good about life. You have a boyfriend, a truck driver.

**Physical Exam (Student Copy)**

<b>System</b>	<b>Findings</b>
Vital signs, height, weight	170/96 LA (sitting and standing, large cuff) 166/94 RA (sitting) HR: 72 R: 18 T: 97.8 F Height: 5'6" Weight: 190#
Facies and general appearance	Pleasant appearing, obese middle-aged female with normal fascies and general appearance. No facial changes characteristic of Cushing's, hyperthyroidism, nor SLE. No truncal obesity or abnormal fat distribution over spine.
Skin, lip color	Skin color good, lips pink
HEENT	Normocephalic, no xanthomas. PEERLA. EOMS intact. Fundoscopic: Red reflex present, not nicking or AV hemorrhage. TM intact bilaterally. Pharynx: swallows without difficulty, no erythema Neck: nonpalpable thyroid, no carotid bruit, no lymphadenopathy.
Lungs	No supraclavicular nor intercostals retractions; AP/lateral diameter WNL; chest expansion WNL; inspiratory/expiratory ratio at trachea WNL. Lungs clear to auscultation and percussion; no wheezing, rales, no rhonchi.
Heart	Apex at 5 <sup>th</sup> ICS at MCL. RRR; S1 greater than S2 apex. No murmurs or gallop rhythm noted.
Abdomen	Obese abdomen. No masses noted. BS present in all four quadrants. No abdominal/renal bruits. No organomegaly.
Kidney	Unable to palpate kidneys due to obesity. No flank tenderness.
Extremities, including feet	No peripheral edema. Color of toes and feet good. Capillary return WNL. Posterior popliteal, posterior tibius, and dorsalis pedis present and equal bilaterally at 3+. Skin on feet and between all digits intact. No calluses. Nails in good repair
Rectal/pelvic	See exam of two months ago (no concerns)
Neurologic	Alert, oriented x3, exhibits coordinated gait. Romberg negative. Perceives light touch and pain in all extremities, bilaterally. Vibratory sense intact. Brachial, radial, patellar, and Achilles DTRs 2+. No apparent neuro defect.

**Script for the Patient (Student copy):**

You are a 41 year old white female who has been asked to return to the clinic because of high BP readings. You had originally gone to the BCCCP project for breast and cervical cancer screening because you have no insurance. Two weeks ago your BP was 164/94

with no orthostatic changes. Since then you have returned twice to the clinic and your BP was 172/98 and then one week ago: 166/96. You have come to consult with the NP today about your BP.

**PMH:** Tubal ligation

Three vaginal deliveries with no complications. No other hospitalizations.

Sprained ankle at age 32. No MVA.

You had whooping cough and chicken pox as a child. You have had no serious adult illnesses.

Last eye exam one year ago. You have had trouble reading but were advised to get OTC reading glasses at Walmart.

Yearly flu shot from the Health department. Your last tetanus shot was 12 years ago, when you cut your hand cleaning out a sewer drain on your farm.

No seasonal allergies, but every time you visit your daughter your eyes itch, you get a stuffy nose, and your chest gets a little tight. Your daughter has 2 cats. It goes away within an hour or so after you leave. So now your daughter visits you instead of you visiting her.

No prescription medications. Occasionally you take Tylenol for aches.

**FH:** Mother: CVA at age 63 and died about 2 years later, having never fully recovered. Your only sibling, a brother, died at age 60 of a heart attack. Your father is still alive at age 80, but he had CABG about 5 years ago. There is no family history of DM. Your maternal Grandmother died of breast cancer. All other grandparents died of old age.

**Social & Personal Hx:** your husband died 3 years ago and you live with your 20 year old son who attends school at the local junior college. Your daughter lives nearby and visits frequently. You are active in your church group. No ETOH, tobacco, nor illegal drugs. You work as a clerk at a hardware store, 38 hours/week. You have a boyfriend, a truck driver.

**ROS—next page**

**ROS:**

Head: no headaches, no history of seizures, fainting, or dizzy spells

Your last eye exam shows one year ago. You have no trouble reading with the glasses your eye doctor said to buy OTC at Walmart.

No sinus problems, no teeth/mouth/throat problems  
Neck is fine and it moves well as do all your joints

Your lungs are fine. You have no shortness of breath, walk up hills and stairs fine, have never awakened at night short of breath. You do not smoke.

Neither with exercise or at rest have you ever had any chest pressure or pain, no left shoulder or arm pain, no left index finger pain, no throat, neck or jaw pain. You have never had high blood pressure before.

You have no difficulty eating. You have no abdominal pain or discomfort. You are not constipated nor do you get diarrhea – just normal stools, usually once/day.

You have never had a kidney or bladder infection.

Your pregnancies were all normal, no complications. (Your other female exam information was taken at the last visit and there is no need to repeat it here).

Your joints are fine. You walk, OK. You do not experience leg cramps when walking, nor do you have abnormal tingling or other sensations in your hands or feet.

You never had a thyroid problem. You do have thirst but you do have excess hunger. You are getting up more often once during the night to void and you only use the bathroom at work during a coffee break and at lunch. You would like to lose about 15 pounds. Your 24 hour diet recall is:

Breakfast: two eggs, toast, coffee

Lunch: Diet coke, Hardy's cheeseburger, fries

Supper: Pork chop, mashed potatoes, cake

TV snack: Popcorn

You have never been depressed, except after your husband died- but you think that was grief. You eventually felt better and each day you try to be upbeat. You do not feel stressed. You sleep fine, about 7 hours/night. You have noticed no change in weight or eating habits. You feel good about life. You have a boyfriend, a truck driver.



**Case: 5**

**Annetta**

**Instructions to the Student:**

**Chief Complaint: weakness and fatigue more than usual over the last 2 months**

**HPI: Annetta, a 56-year-old African American female, was in good health until about 2 months ago when she began to feel weak and tired more rapidly than usual. She also noticed she was getting up several times a night to urinate. Whenever she gets up she was thirsty and would drink a glass of water and go back to bed. This was occurring 2-3 times a night so she thought she was maybe just not getting enough sleep. She felt like she wasn't as productive at work and just did not feel like going everyday.**

Vital signs, height, weight	Female: Height: 5'7" Weight: 202 lbs Temp : 98.4 Pulse =76 BP 142/78
-----------------------------	---

**Task**

You have 30 minutes to:

7. State the possible differential diagnoses at the onset
8. Obtain a focused history
9. Perform a focused physical assessment
10. Re-examine the list differential diagnoses
11. State your diagnosis
12. Develop a therapeutic plan include, all of the following if appropriate:  
pharmacological, nursing/supportive therapies health promotion and health education, and follow-up.

Student Name \_\_\_\_\_ CASE # 3

Instructor \_\_\_\_\_

Date \_\_\_\_\_ -

**Instructor solicited information**

**Pre-examination diagnoses before seeing the patient**

- Fatigue:** Anémia
- Thyroid
- Diabetes
- Chronic Fatigue Syndrome
- Depression
- Sleep disorder
- UTI

<b>Grade: History:</b>	<b>30 pts</b> _____
<b>PE:</b>	<b>30 pts</b> _____
<b>Diagnoses</b>	<b>15 pts</b> _____
<b>Treatment</b>	<b>25 pts</b> _____

**Total:** \_\_\_\_\_



Student Name \_\_\_\_\_ CASE # 5

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	<b>Advanced</b>	<b>Proficient</b>	<b>Not Proficient</b>
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

**History : 30pts**

(2pt)	Confirm chief complaints	
(10pt)	<b>HPI:</b> onset :2 months ago	
	Progression of symptoms:	
	Activities that make it worse or better	
	Associated Symptoms: need to explore the following:	
	Polydipsia, Polyuria, Polyphagia	
	Weight loss	
	Visual changes	
	Infections	
	Poor wound healing	
	Dry skin	
	Numbness tingling	
	Headaches	
	Palpitations, chest pain, SOB	
	Sleep patterns	
	Should screen for depression/ lack of motivation	
	Alleviating factors : none	
	Demonstrates cultural sensitivity while establishing rapport	
5pt	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	<b>Previous Hospitalizations/ illnesses:</b> G3P3, should ask about pregnancies , weight, and health - No chronic illness, ? Menses? menopause	
	<b>Surgeries/ trauma:</b> Appendectomy 1972, no injuries or disabilities	
	<b>Childhood Illnesses:</b> had usual illnesses with no complications	
	<b>Previous health care:</b> sees dr when needed, goes to local clinic always sees someone different	
	<b>Recent Exams:</b> (had everything when turned 50) Mammogram 6 years ago Eye exam 3 years ago Dental 6 years ago Never DEXA Never colonoscopy	
	<b>Immunizations:</b> Can't remember last tetanus, doesn't think she needs flu shot	
	<b>Medication:</b> No prescription meds, takes OTC Ibuprofen for headaches PRN, no	

	herbal	
	<b>Allergies:</b> none	
	<b>Health maintenance:</b> self-breast exam monthly, never EKG, TM, or Xray (rest below)	
2pt	<b>Family History</b>	
	Parents: father died 69y/o massive stroke Mother : died 62 ESRD, DM , amp foot Should ask about hx migraines	
	Youngest of 4 children weight 10lb 2 oz at birth both parents and bro and sisters all overweight 2 have DM	
8pt	<b>Social &amp; Personal History</b>	
	Home environment,	
	Military service	
	Work	
	Education	
	Exercise	
	Risk taking (Smoking, ETOH, drugs, seat belt use)	
	Diet	
3pt	<b>Review of Systems: negative</b>	
	-Skin hair nails: skin dry flakey always, uses olive oil, nails unchanged, feet have dry skin and calluses	
	-Head and Neck, gums bl after tooth brush, rare headaches late in day relieved with Ibuprofen	
	-eyes, blurry vision, especially as day goes on, getting worse, wears glasses for astigmatism, near sighted, has not seen eye dr 3 yr.	
	-ENT, seasonal allergies, fine right now, takes OTC meds for it	
	-Chest/ lung, denies sob,	
	-Heart, denies chest pain, palpitations	
	-Abd, denies indigestion, regular BM no blood. Diet should be ? if not previous	
	-Female gyn, menses age 11, menopause 52, occ yeast infections treated with OTC meds	
	-Neuro, numbness tingling, wakes at night,	

	several years, moving or changing positions helps	
	_all other systems unremarkable	

**Client – Script for Physical Assessment**

Instructor check-off (30pts)	System	Findings
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	Female: Height: 5’7” Weight: 202 BMI 31; Waist 40 “ Temp: 98.4 Pulse 76 BP 142/78
	General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant, obese
	Skin	Warm, dry, no cuts or bruises, normal female hair distribution, consistent color, no rashes or lesions
	Eyes	PERRLA, EOMs intact vision corrected to 20/20 with glasses, fundi clear yellow, without pigment variations, disc margins sharp, no AV nicking, no retinopathy
	Ears	Auricles NT, symmetric, TMs pearly grey, landmarks visualized, hearing accurate
	Mouth & Pharynx	No lesions, dentition several repaired carries, uvula rises symmetrically, gag intact, pharynx clear without erythema or exudates
	Neck	Neck supple, full range of motion, no visible deformity, thyroid non-palpable
	Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong, Femoral, popliteal, dorsalis pedis 2 + bilaterally, no carotid bruits or thrills appreciated. PMI 5 <sup>th</sup> ICS, Left MCL. No edema, capillary refill rapid.
	Lungs	Clear to auscultation A and P bilaterally, vesicular sounds throughout
	Abdomen	bulky, BS X 4, soft, no tenderness to light or deep palpation, no masses or bruits, no organomegaly
	Musculoskeletal (this does not need to be done)	Full Active ROM Upper Extremities, and lower Extremities. Opposition intact, symmetric strength 5/5
	Neurological	Diminished vibratory sense to for foot, absent ankle reflex, All other DTR 2+ Monofilament sensed only above ankle Smooth rapid movement Strength all 5/5 Memory intact recent and past Smooth clear speech

**Diagnoses: ( 15 points )**

**List of Differential Diagnoses****Diabetes, Type I****Diabetes, Type II****HTN****Obesity****Hypercholesterolemia (they may include this)****Final Diagnoses:****Diabètes, Type II****Obesity****Peripheral Neuropathy****Elevated Blood Pressure****Management Plan**

<b>Instructor check off</b>	<b>(25 points)</b>	<b>Comments</b>
	<i>Accurate treatment decisions</i>	
	Diagnostic tests: Lab: (preferably fasting) CMP, CBC, Lipids, HgA1C, C-Peptide, UA. (CMP will have FBS) EKG, CXR, may want a TN before starting exercise program	
	Pharmacology: Because FBS >250 but < 400 need to start an oral med....single agent first. -Prefer Biguanide, Metformin 500 BID This may also help with weight loss -Could also chose sulfonylurea, Glipizide 5mg po qd, or glyburide 1.25 mg po qd ( no renal impairment, liver ETOH, or sulfa allergy)  May also mention Lyrica or something for the peripheral neuropathy, would be best to get glucose stable first	
	Diet, Weight loss, and Exercise education see below.	
	<i>Therapeutic Communication</i>	
	Explanations easily understandable and culturally appropriate <ul style="list-style-type: none"> <li>- Pathology of Diabetes,</li> <li>- Signs and symptoms</li> <li>- Home glucose monitoring/ log</li> <li>- Target range for Blood glucose and what to do</li> <li>- Diet , Exercise, Weight loss</li> </ul>	

	<p>- Complications of diabetes</p> <p>Explain effects of Obesity</p> <p>Explain effects of elevated BP</p>	
	Professional approach	
	Explained findings & diagnosis clearly	
	Importance of follow up (1weeks)	
	<p>Patient education addresses : (include spouse if possible)</p> <p>-Diet: balanced, Protein, carbs, fiber, fats ratio, 3 meals 3 snacks and regular timing, high glycemic foods, sweeteners, ETOH,</p> <p>NAS since slightly elevated BP</p> <p>-Long term weight loss, portion control, lose 10% weight,</p> <p>-Exercise, 30 min a day, decreases BS and utilizes insulin better ROM, warm up and cool down</p> <p>- Importance of meds, how they work, side effects, timing</p> <p>-BS testing at least each AM and prior to meals, or if symptomatic, keep log and bring to each visit</p> <p>-Foot care, socks, check daily, proper fitting shoes, larger toe box on shoes since callus</p> <p>-</p> <p>BP check at each visit, NAS as mentioned above</p> <p>Smoking cessation,</p> <p>No alcohol for now</p> <p>Health Promotion: Seat belts, smoke detectors (older home), colonoscopy, flu shot, stress management and sleep hygiene, DEXA, Pelvic Pap</p> <p>_Annual eye exam, foot exam, dental BP checks</p>	
	Help her to set personal goals for all education: Wt loss, Exercise, BS	
	Referral to: Diabetic Educator Dietitian	

	Podiatrist Ophthalmologist Dental Local Support Group	
--	--	--

**Lab Results**

<b>Complete Metabolic Panel</b>		
	<b>Results</b>	<b>Norm</b>
Glucose	352 mg/dl	65-109 mg/dl
Creatinine	1.0 mg/dl	0.5-1.4 mg/dl
BUN	18 mg/dl	7-30 mg/dl
Na	141 mg/dl	135-146 mg/dl
K+	4.3 mg/dl	3.5 – 5.3 mg/dl
AST	14 IU/L	0-40 IU/L
ALT	19 IU/L	5-40 IU/L
Alk Phos	56 IU/L	35 – 125 IU/L
Random Blood Glucose	456	
Hg A1C	13.3%	
C-Peptide	2.65 ng/ml	.51-2.7 g/ml
CBC	All within normal limits	
<b>Lipid Panel</b>		
Total Chol	162 mg/dl	<200
HDL	43 mg/dl	≥ 40
LDL	84 mg/dl	< 100
Triglycerides	177 mg/dl	< 150
Chol: HDL ratio	3.8	< 50
<b>Urinalysis</b>		
Color	Straw	
PH	6.0	
SpG	1.025	
Protein	Neg	
Ketones	Neg	
Glucose	4+	
Blood	Neg	
Leucocytes	Neg	

CXR, clear

EKG, NSR (see attached)



## **Script for Patient (Instructor copy)**

You are a 56-year-old AA female administrative secretary who came in alone in no apparent distress

**CC :** I feel weak and tired more than usual over the last 2 months

### **History of Present Illness**

**HPI:** Annetta was in good health until about 2 months ago when she began to feel weak and tired more rapidly than usual. She also noticed she was getting up several times a night to urinate. Whenever she gets up she was thirsty and would drink a glass of water and go back to bed. This was occurring 2-3 times a night so she thought she was maybe just not getting enough sleep. She felt like she wasn't as productive at work and just did not feel like going everyday.

Her weight was always average through high school, she was a cheerleader and very active in school events, but gradually over the years she put on pounds. Her appetite had remained excellent though she admits she does love breads and pasta and thinks that is what contributed most to her weight gain, though in the last 2 months without trying she has lost about 15 pounds and had begun to feel weak and tired

She does also note some pain in her feet that is worse at night, sometimes it even keeps her awake. She describes it as a burning pain, sometimes her toes feel numb. She has also noticed some numbness and tingling in her fingers that sometimes causes her some problems at work when she is typing on the computer, or placing paperclips on reports. She noticed she is frequently dropping small items and has difficulty with some fine motor movement.

Her vision is blurry at times especially as the day goes on, afternoon, but she thinks she just needs to get her glasses checked, it has been a while.

She denies any palpitations, headaches, shortness of breath.

### **Past Medical History**

No chronic illness, You have enjoyed good physical health in the past, so you usually do not see a doctor on a regular basis. G3 P3. uncomplicated pregnancies. Menses at age 11, Menopause at age 51

surgeries or trauma, Appendectomy 1972

normal childhood illnesses

No known allergies.

No prescription medications, takes OTC Ibuprofen for aches and pains sometimes

Immunizations, can't remember last tetanus, has never had the flu shot because "she is healthy", does do self breast exam, she has a friend and they remind each other, last mammogram was at the age of 50. Last eye exam was about 3 years ago, last dental visit 6 years ago when she chipped a tooth on a nut she drinks several cups of coffee at work each day, quit smoking several times the last time was 6 months ago...she only smokes ½ ppd. Started when she was 16, "it was the cool thing to do", quit when she was pregnant with her first child. Started smoking again about a year later. Has started and stopped on and off through the years when she was pregnant when her kids were in their teens, when she and her husband were having trouble for a while. Thinking about quitting again because cigarettes are just getting too expensive.

**Family Hx:** Both parents are deceased father died at the age of 69 from a massive stroke mother died at 62 from end stage kidney disease., she had been diagnosis with Diabetes at the age of 42 and had had numerous complications including partial amputation of her right foot. She was on dialysis for 3 years

before she died....Annetta was very involved in her mothers care, giving her shots 2 times a day and transporting her to dialysis and MD visits.

Annetta is the youngest of 4 children and weighed 10 lbs 2 oz at birth. Both parents are overweight as are the siblings 2 of which have been dx as diabetes.

**Personal and Social History**

Happily married, lives at home that they have owned for 30 years. She has 3 grown children, 2 girls and 1 boy, 2 grand children. All live in the area. She smokes as previously noted, has an occasional drink (wine) after work with her friends and on special occasions. She is in the choir at her church, and enjoys reading and sewing, but it has been difficult to do these things lately. She knows she should exercise but it never quite fits into her schedule.

She enjoys her job as an Administrative Executive Secretary, where she has worked for the same boss for the last 26 years...they have been promoted in the company together. In this position there are lots of deadlines and reports and she feels that all things need to be done perfectly.

She is a high school graduate, then completed Ms Hickey's Secretarial School. She was the top in her class.

Neither she nor her husband have ever been in the military

Diet: Eats a lot of bread and pasta. Normal dinner is 2 cps cooked pasta with homemade sauce, 3-4 slices of Italian bread (sometime with cheese and garlic) During the day she has a sandwich with lunch meat, usually puts butter on the bread to keep it moist. She also eats about 6 pieces of fruit a day at meals and as snacks, She prefers chicken and fish when she goes out but likes when it has a cream sauce on it best!

**ROS:** ( in addition to what has already been given)

-Skin hair nails: skin dry flakey always, uses olive oil, nails unchanged, feet have dry skin and calluses

-Head and Neck, gums bleed after tooth brush, rare headaches late in day relieved with Ibuprofen

-eyes, blurry vision, especially as day goes on, getting worse, wears glasses for astigmatism, near sighted, has not seen eye dr 3 yr.

-ENT, seasonal allergies, fine right now, takes OTC meds for it

-Chest/ lung, denies sob,

-Heart, denies chest pain, palpitations

-Abd, denies indigestion, regular BM no blood. Diet should be ? if not previous

-Female gyn, menses age 11, menopause 52, occ yeast infections treated with OTC meds

-Neuro, numbness tingling, wakes at night, several years, moving or changing positions helps

\_all other systems unremarkable

**Physical Exam:** Things are a little blurry and you need to wear your glasses

You have numb toes/ feet ( nothing else abnormal you need to act out)

**Treatment Plan:** You are very motivated, want to be well so that you can do good at work and enjoy children, and grandchildren. Think your husband will be supportive and could benefit from this plan as well...you want to do it together. You will do what ever you need to do.

**Student copy of physical findings**

System	Findings
Vital signs, height,	Female: Height: 5'7" Weight: 202 BMI

weight	31; Waist 40 “ Temp: 98.4 Pulse 76 BP 142/78
General Appearance	Well nourished, well developed, alert and oriented X3, appropriate, pleasant, obese
Skin	Warm, dry, no cuts or bruises, normal female hair distribution, consistent color, no rashes or lesions
Eyes	PERRLA, EOMs intact vision corrected to 20/20 with glasses, fundi clear yellow, without pigment variations, disc margins sharp, no AV nicking, no retinopathy
Ears	Auricles NT, symmetric, TMs pearly grey, landmarks visualized, hearing accurate
Mouth & Pharynx	No lesions, dentition several repaired carries, uvula rises symmetrically, gag intact, pharynx clear without erythema or exudates
Neck	Neck supple, full range of motion, no visible deformity, thyroid non-palpable
Heart/Peripheral vascular	RRR without murmur or gallop, S1 and S2 within normal limits, all pulses present equal and strong. Femoral, popliteal, dorsalis pedis 2 + bilaterally, no carotid bruits or thrills appreciated. PMI 5 <sup>th</sup> ICS, Left MCL. No edema, capillary refill rapid.
Lungs	Clear to auscultation A and P bilaterally, vesicular sounds throughout
Abdomen	bulky, BS X 4, soft, no tenderness to light or deep palpation, no masses or bruits, no organomegaly
Musculoskeletal (this does not need to be done)	Full Active ROM Upper Extremities, and lower Extremities. Opposition intact, symmetric strength 5/5
Neurological	Diminished vibratory sense to for foot, absent ankle reflex, All other DTR 2+ Monofilament sensed only above ankle Smooth rapid movement Strength all 5/5 Memory intact recent and past Smooth clear speach

## **Script for Patient (Student copy)**

You are a 56 -year -old AA female administrative secretary who came in alone in no apparent distress

**CC:** I feel weak and tired more than usual over the last 2 months

### **History of Present Illness**

**HPI:** Annetta was in good health until about 2 months ago when she began to feel weak and tired more rapidly than usual. She also noticed she was getting up several times a night to urinate. Whenever she gets up she was thirsty and would drink a glass of water and go back to bed. This was occurring 2-3 times a night so she thought she was maybe just not getting enough sleep. She felt like she wasn't as productive at work and just did not feel like going everyday.

Her weight was always average through high school, she was a cheerleader and very active in school events, but gradually over the years she put on pounds. Her appetite had remained excellent though she admits she does love breads and pasta and thinks that is what contributed most to her weight gain, though in the last 2 months without trying she has lost about 15 pounds and had begun to feel weak and tired

She does also note some pain in her feet that is worse at night, sometimes it even keeps her awake. She describes it as a burning pain, sometimes her toes feel numb. She has also noticed some numbness and tingling in her fingers that sometimes causes her some problems at work when she is typing on the computer, or placing paperclips on reports. She noticed she is frequently dropping small items and has difficulty with some fine motor movement.

Her vision is blurry at times especially as the day goes on, afternoon, but she thinks she just needs to get her glasses checked, it has been a while.

She denies any palpitations, headaches, shortness of breath.

### **Past Medical History**

No chronic illness, you have enjoyed good physical health in the past, so you usually do not see a doctor on a regular basis. G3 P3. Uncomplicated pregnancies. Menses at age 11, Menopause at age 51

surgeries or trauma, Appendectomy 1972

normal childhood illnesses

No known allergies.

No prescription medications, takes OTC Ibuprofen for aches and pains sometimes

Immunizations, can't remember last tetanus, has never had the flu shot because "she is healthy", does do self breast exam, she has a friend and they remind each other, last mammogram was at the age of 50. Last eye exam was about 3 years ago, last dental visit 6 years ago when she chipped a tooth on a nut she drinks several cups of coffee at work each day, quit smoking several times the last time was 6 months ago...she only smokes ½ ppd. Started when she was 16, "it was the cool thing to do", quit when she was pregnant with her first child. Started smoking again about a year later. Has started and stopped on and off through the years when she was pregnant when her kids were in their teens, when she and her husband were having trouble for a while. Thinking about quitting again because cigarettes are just getting too expensive.

**Family Hx:** Both parents are deceased father died at the age of 69 from a massive stroke mother died at 62 from end stage kidney disease., she had been diagnosis with Diabetes at the age of 42 and had had numerous complications including partial amputation of her right foot. She was on dialysis for 3 years before she died....Annetta was very involved in her mothers care, giving her shots 2 times a day and transporting her to dialysis and MD visits.

Anetta is the youngest of 4 children and weighed 10 lbs 2 oz at birth. Both parents are overweight as are the siblings 2 of which have been dx as diabetes.

### **Personal and Social History**

Happily married, lives at home that they have owned for 30 years. She has 3 grown children, 2 girls and 1 boy, 2 grand children. All live in the area. She smokes as previously noted, has an occasional drink (wine) after work with her friends and on special occasions. She is in the choir at her church, and enjoys reading and sewing, but it has been difficult to do these things lately. She knows she should exercise but it never quite fits into her schedule.

She enjoys her job as an Administrative Executive Secretary, where she has worked for the same boss for the last 26 years...they have been promoted in the company together. In this position there are lots of deadlines and reports and she feels that all things need to be done perfectly.

She is a high school graduate, and then completed Ms Hickey's Secretarial School. She was the top in her class.

Neither she nor her husband have ever been in the military

Diet: Eats a lot of bread and pasta. Normal dinner is 2 cps cooked pasta with homemade sauce, 3-4 slices of Italian bread (sometime with cheese and garlic) During the day she has a sandwich with lunch meat, usually puts butter on the bread to keep it moist. She also eats about 6 pieces of fruit a day at meals and as snacks, She prefers chicken and fish when she goes out but likes when it has a cream sauce on it best!

**ROS:** (in addition to what has already been given)

-Skin hair nails: skin dry flakey always, uses olive oil, nails unchanged; feet have dry skin and calluses

-Head and Neck, gums bleed after tooth brush, rare headaches late in day relieved with Ibuprofen

-eyes, blurry vision, especially as day goes on, getting worse, wears glasses for astigmatism, near sighted, has not seen eye dr 3 yr.

-ENT, seasonal allergies, fine right now, takes OTC meds for it

-Chest/ lung, denies SOB,

-Heart, denies chest pain, palpitations

-Abd, denies indigestion, regular BM no blood. Diet should be ? if not previous

-Female gyn, menses age 11, menopause 52, occ yeast infections treated with OTC meds

-Neuro, numbness tingling, wakes at night, several years, moving or changing positions helps

\_all other systems unremarkable

**Physical Exam:** Things are a little blurry and you need to wear your glasses

You have numb toes/ feet (nothing else abnormal you need to act out)

**Treatment Plan:** You are very motivated, want to be well so that you can do well at work and enjoy children, and grandchildren. Think your husband will be supportive and could benefit from this plan as well...you want to do it together. You will do what ever you need to do.

**Case: 6**

**John**

**Instructions to the Student**

**Chief Complaint:** John is a 62-year-old auto mechanic who is requesting a routine checkup. He has a history of hypertension. He has not seen a health care provider since he lost his health care insurance about one year ago. He recently started a new job and is requesting a check-up. He takes Hydrochlorothiazide for high blood pressure. He feels he eats a healthy diet .His only complaints are occasional fatigue, blurred vision, and urinary frequency with dribbling after he urinates. He has to get up several times a night to void.

Vital Signs, height Weight	Male: Height: 70 inches: Weight 225 lbs. Temp: 98 F HR= 80, regular
-------------------------------	--

### **Task**

You have 30 minutes to:

1. State the possible differential diagnoses at the onset.
2. Obtain a focused history.
3. Perform a focused physical assessment.
4. Re-examine the list of differential diagnoses.
5. State your final working diagnosis.
6. Develop a therapeutic plan including all of the following if appropriate:
  - a. Pharmacologic
  - b. Nursing/supportive therapies
  - c. Health promotion
  - d. Health education
  - e. Follow-up.

**Student Name** \_\_\_\_\_

**Instructor** \_\_\_\_\_

**Date** \_\_\_\_\_

**Instructor solicited information**

**Pre-examination diagnoses before seeing the client.**

1. Essential hypertension.
2. BPH
3. Obesity
4. Eye problems such as presbyopia, cataract, glaucoma.

<b>Grade: History:</b>	<b>30 pts</b> _____
<b>PE:</b>	<b>30 pts</b> _____
<b>Diagnoses</b>	<b>15 pts</b> _____
<b>Treatment</b>	<b>25 pts</b> _____

**Total:** \_\_\_\_\_

Student Name \_\_\_\_\_ CASE # 6

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	<b>Advanced</b>	<b>Proficient</b>	<b>Not Proficient</b>
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)



(2 pts)	Confirm chief complaints	
(10 pts)	<b>HPI: (HTN)</b> onset: 5 years ago	
	Progression: getting worse since he ran out of medicine	
	Associated symptoms: occasional chest pain discomfort, no SOB, palpitations or headache.	
	<b>(Urinary Symptoms)</b>	
	Onset: uncertain, but at least the last six months	
	Progression:	
	Alleviating factors:	
	Aggravating factors	
	Associated symptoms	
	Demonstrates cultural sensitivity while establishing rapport	
5 pts	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	Medication	
	Allergies	
	Previous Illness	
	Hospitalizations, surgeries, trauma (none)	
	Health Maintenance	
2 pts	<b>Family History</b>	
	Parents: Father had HTN Should ask about DM, CAD	
8 pts	<b>Social &amp; Personal History</b>	
	Exercise	
	Diet	
	Work environment	
3 pts	<b>Review of Systems</b>	
	Student should ask particularly about obstructive and irritative symptoms. Because of HTN student should ask about chest pain, SOB and palpitations.	

## **Symptoms that Cumulatively Support the Diagnosis of BPH:**

### 1. Obstructive Complaints:

- Hesitancy
- Decreased force & caliber of stream
- Sensation of incomplete bladder emptying
- Double voiding (urinating a second time within 2 hours)
- Straining to urinate,
- Post-void dribbling.

### 2. Irritative Complaints:

- Urgency
- Frequency
- Nocturia.

## **American Urological Association Symptom Index.**

**Single most important tool used in the evaluation of patients with BPH.**

**Should be calculated for all patients before starting therapy.**

**Likert scale 0 (not at all) to 5 (almost always)**

1. Over the past month, how often have you had a sensation of not emptying your bladder completely after you finish urinating?
2. Over the past month, how often have you had to urinate again less than 2 hours after you finished urinating?
3. Over the past month, how often have you found that you stopped & started again several times when you urinated?
4. Over the past month, how often have you found it difficult to postpone urination?
5. Over the past month, how often have you had to push or strain to begin urination?
6. Over the past month, how many times did you most typically get up to urinate from the time you went to bed at night until the time you got up in the morning?

**\* Answers quantitate the severity of obstructive or irritative complaints. Score can range from 0-35, in increasing severity of symptoms.**

## **Clues to Differential Diagnoses**

1. Other obstructive conditions (urethral stricture, bladder neck contracture, bladder stone or carcinoma of the prostate) should be considered when evaluating men with presumptive BPH.
2. Prior history of urethral instrumentation, urethritis, or trauma should be elucidated to exclude urethral stricture or bladder neck contracture.
3. Hematuria & pain are commonly associated with bladder stones.
4. CA of the prostate may be detected by abnormalities on DRE or elevated PSA.
5. UTI may mimic irritative symptoms of BPH.
6. CA of the bladder may present with irritative voiding complaints.

**Client-Script for Physical Assessment**

<b>Instructor check off (20 pts)</b>	<b>System</b>	<b>Findings</b>
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	162/96 HR 80 R18 T 98 Height 70 inches Weight 225 lbs.
	General Appearance	Well nourished, well developed, alert, NAD
	Skin	Warm, dry, without lesions
	Eyes	Red reflex intact. PERRLA, EOM's full. Optic disc margins well defined, no AV nicking or hemorrhages.
	Neck	Supple, no thyromegaly or bruits, no JVD.
	Lungs	CTA, AP/Lateral WNL.
	Heart	No lifts or heaves. PMI 5 <sup>th</sup> ICS, MCL. S1 and S2 RRR. Faint + S4 heard best at the apex. Grade 2/6 systolic murmur.
	Abdomen	Obese. + normal BS. Soft, non-tender without masses, tenderness or bruits.
	Neurological	Alert & Oriented. Cooperative. Gait coordinated. Normal sensory, motor & vibratory sensory bilaterally. DTR's + 2 throughout.
	Extremities	Pulses +2, skin warm & pink, no edema. Feet dry. No dermopathy. No open areas. Nails in good repair.
	Rectum	Anal sphincter and rectal vault wnl. Prostate boggy with symmetric lobes. No nodules, soft brown stool. Guiac negative.

**List of Differential Diagnoses:**

1. HTN
2. BPH
3. Possible Angina

**Final Diagnosis**

1. HTN (uncontrolled) Stage 2
2. BPH
3. Possible angina with 3+ cardiac risk factors

**Management Plan**

Instructor Check off 30 points	(30 points)	Comments
	<b>Accurate treatment decisions (20 pts)</b>	
	Diagnostic tests: BMP: normal TSH: normal Lipids: Total Chol=236 LDL=156 HDL= 28 U/A Urine C/S negative PSA: normal EKG: normal	
	Pharmacology:	
	<b>Therapeutic Communication (10 pts)</b>	
	Explanations easily understandable and culturally appropriate	
	Professional approach	
	Explained findings & diagnosis clearly	
	Importance of follow up ( 4 weeks)	
	Patient education addresses: HTN- importance of adherence to medications. Smoking-importance of smoking cessation & possible strategies. Obesity- BMI= Dyslipidemia-appropriate diet Chest discomfort- need for stress test to rule out CAD	
	Medical Therapies: Order Stress and 2D echo with color flow for multiple CAD risk factors	

**Smoking:** TTM: pre-contemplation. Bring up at each visit. Chantix/Zyban therapy if patient agrees.

**HTN: Uncontrolled Stage 2.** Student should consider which drug therapy to use. JNC-7 guidelines suggest 2 medications for this level of HTN. Student may choose one if she/he believes it's due to non-adherence to drug therapy.

**BPH:** alpha blockers good choice in light of HTN. 5a reductase inhibitors (Finasteride). Combination therapy (should start with monotherapy initially).

No imaging needed (no UTI or hematuria). Cysto not needed to determine tx (only if surgery indicated)

**Dyslipidemia:** Low fat, low cholesterol diet. Student should mention that statin therapy may be indicated if TLC doesn't bring down lipid levels. Patient needs weight reduction. No exercise program until stress test is reviewed.

**Chest discomfort:** Patient has numerous CAD risk factors (smoking, dyslipidemia, HTN, obesity)-Should have stress test and ECHO (patient has murmur).Order as atypical angina with multiple CAD risk factors.

**Blurred vision: Schedule eye exam**

## **Script for Patient (Instructor copy)**

You are a 61-year-old auto mechanic and come in alone.  
You are not in any immediate distress.

CC “I haven’t been to a health care provider in a few years. I have high blood pressure but I’m really worried about having to urinate so much.”

### **History of Present Illness**

Identify yourself as someone who really tries to avoid seeing a health care provider. You work really hard as an auto mechanic and don’t really have time for routine check-ups. You’ve been diagnosed with high blood pressure but you’re really not concerned about this because you have no symptoms. You run out of your medication sometimes.

You’re here today because you’re constantly running to the bathroom to urinate. This interferes with your job and your sleep. You think you’re so tired because you get up several times a night to go to the bathroom. You don’t have any burning or pain with urinating. You have noticed that it’s difficult to get your stream going and sometimes you have to urinate twice in one hour.

### **Past Medical History**

No known allergies.  
HCTZ 12.5 mg PO daily  
No major illnesses.  
Father had HTN.

### **Personal and Social History**

You smoke 1 pack of cigarettes a day. You started smoking age 16. You have 1-2 beers every evening after dinner. You’ve been married for 40 years and have three children who are all married with kids. You don’t have time to exercise. You feel you get plenty of exercise on the job.

### **ROS:**

You do occasionally have some chest pressure but it’s usually because you work so hard. It doesn’t last very long (maybe 5 minutes). When you rest it goes away.

### **Physical Exam:**

You really don’t see the need for a physical examination today. You just want something to stop the constant urination. You really don’t want to discuss your high blood pressure or your occasional chest discomfort.

### **Treatment Plan:**

You want to know when you can stop taking your high blood pressure medicine. You are not interested in getting any testing done at this time.

### Student copy of physical findings

System	Findings
Vital signs, height, weight	162/96 HR 80 R18 T 98 Height 70 inches Weight 225 lbs.
General Appearance	Well nourished, well developed, alert, NAD
Skin	Warm, dry, without lesions
Eyes	Red reflex intact. PERRLA, EOM's full. Optic disc margins well defined, no AV nicking or hemorrhages.
Neck	Supple, no thyromegaly or bruits, no JVD.
Lungs	CTA, AP/Lateral WNL.
Heart	No lifts or heaves. PMI 5 <sup>th</sup> ICS, MCL. S1 and S2 RRR. Faint + S4 heard best at the apex. Grade 2/6 systolic murmur.
Abdomen	Obese. + Normal BS. Soft, non-tender without masses, tenderness or bruits.
Neurological	Alert & Oriented. Cooperative. Gait coordinated. Normal sensory, motor & vibratory sensory bilaterally. DTR's + 2 throughout.
Extremities	Pulses +2, skin warm & pink, no edema. Feet dry. No dermopathy. No open areas. Nails in good repair.
Rectum	Anal sphincter and rectal vault wnl. Prostate boggy with symmetric lobes. No nodules, soft brown stool. Guiac negative.

## **Script for Patient (Student copy)**

You are a 61-year-old auto mechanic and come in alone.  
You are not in any immediate distress.

CC “ I haven’t been to a health care provider in a few years. I have high blood pressure but I’m really worried about having to urinate so much.”

### **History of Present Illness**

Identify yourself as someone who really tries to avoid seeing a health care provider. You work really hard as an auto mechanic and don’t really have time for routine check-ups. You’ve been diagnosed with high blood pressure but you’re really not concerned about this because you have no symptoms. You run out of your medication sometimes.

You’re here today because you’re constantly running to the bathroom to urinate. This interferes with your job and your sleep. You think you’re so tired because you get up several times a night to go to the bathroom. You don’t have any burning or pain with urinating. You have noticed that it’s difficult to get your stream going and sometimes you have to urinate twice in one hour.

### **Past Medical History**

No known allergies.  
HCTZ 12.5 mg PO daily  
No major illnesses.  
Father had HTN.

### **Personal and Social History**

You smoke 1 pack of cigarettes a day. You started smoking age 16. You have 1-2 beers every evening after dinner. You’ve been married for 40 years and have three children who are all married with kids. You don’t have time to exercise. You feel you get plenty of exercise on the job.

### **ROS:**

You do occasionally have some chest pressure but it’s usually because you work so hard. It doesn’t last very long (maybe 5 minutes). When you rest it goes away.

### **Physical Exam:**

You really don’t see the need for a physical examination today. You just want something to stop the constant urination. You really don’t want to discuss your high blood pressure or your occasional chest discomfort.

### **Treatment Plan:**

You want to know when you can stop taking your high blood pressure medicine. You are not interested in getting any testing done at this time.

**Case: 7**

**Sally**

## Instructions to the Student

**Chief Complaint:** Sally is a 26 year old bar tender. She is here today because she is worried about shortness of breath which started one week ago. She also is worried about a non-productive cough that is worse at night when she gets into bed. She sometimes has some nasal congestion. Otherwise, she states she is in good health.

Vital Signs, height Weight	BP 110/76 HR 80 (regular) Temp 98.6 Height 5'5 Weight 120 lbs
-------------------------------	--

## Task

You have 30 minutes to:

1. State the possible differential diagnoses at the onset.
2. Obtain a focused history.
3. Perform a focused physical assessment.
4. Re-examine the list of differential diagnoses.
5. State your final working diagnosis.
6. Develop a therapeutic plan including all of the following if appropriate:
  - a. Pharmacologic
  - b. Nursing/supportive therapies
  - c. Health promotion
  - d. Health education
  - e. Follow-up.



**Student Name** \_\_\_\_\_ **Case #7**

**Instructor** \_\_\_\_\_

**Date** \_\_\_\_\_

**Instructor solicited information**

**Pre-examination diagnoses before seeing the client.**

1. Upper Respiratory Infection
2. Seasonal Allergies
3. Asthma
4. Upper Airway Cough Syndrome

<b>Grade: History:</b>	<b>30 pts</b> _____
<b>PE:</b>	<b>30 pts</b> _____
<b>Diagnoses</b>	<b>15 pts</b> _____
<b>Treatment</b>	<b>25 pts</b> _____

**Total:** \_\_\_\_\_

Student Name \_\_\_\_\_ CASE # 7

Instructor \_\_\_\_\_

Date \_\_\_\_\_

**MSN-NP Program Outcomes Evaluation  
Spring, 2017**

During direct observations of a patient encounter or a given case simulation, score the student on the following program outcomes:

<b>Program Learning Outcomes</b>	<b>Advanced</b>	<b>Proficient</b>	<b>Not Proficient</b>
3A. The student integrates advanced competencies in relationships with patients/professionals.			
3B. The student integrates advanced theories in relationships with patients/professionals.			
3c. The student integrates cultural sensitivity in relationships with patients/professionals.			
4a. The student designs culturally sensitive patient care that includes health promotion and disease prevention.			

**Definitions:**

Advanced: Performs/demonstrates at a superior level with no verbal cues or prompting (91-100)

Proficient: Performs/demonstrates at the expected level with minimal verbal cues or prompting (80-90)

Not Proficient: Performs/demonstrates below minimally competent level; requires frequent verb cues/prompting. Requires remediation. (79 or below)

(30 pts)	<b>History</b>	
	Confirm chief complaint	
	<b>HPI:</b> onset:	
	Progression of symptoms:	
	Associated symptoms:	
	Alleviating factors:	
	Aggravating factors	
	Demonstrates cultural sensitivity while establishing rapport	
	<b>Past Medical History</b>	
	Demonstrates cultural sensitivity during history gathering	
	Medication	
	Allergies	
	Previous Illness	
	Hospitalizations, surgeries, trauma (none)	
	Health Maintenance	
	<b>Family History</b>	
	<b>Social History</b>	
	Exercise & Diet	
	Smoking & ETOH	
	Work environment	
	<b>Review of Systems</b>	

**Client-Script for Physical Assessment**

<b>PE: Instructor check off (30 pts)</b>	<b>System</b>	<b>Findings</b>
	Demonstrates cultural sensitivity during physical examination	Ie. Draping, covering/uncovering, gender of provider/religious preferences observed
	Vital signs, height, weight	110/76 HR 80 R18 T 98.6 Height 5'5 Weight 120 lbs.
	General Appearance	Well nourished, well developed, alert, NAD
	Skin	Warm, dry, without lesions
	Eyes	Red reflex intact. PERRLA, EOM's full.
	Ears	Normal canals. TM normal. No bulging.
	Nose/ Mouth	Turbinates mildly boggy. Mouth- no lesion. No erythema or exudates
	Neck	No thyroid enlargement. No lymphadenopathy
	Heart	S1 & S2 RRR. No murmur.
	Lungs	Normal A-P diameter. No tactile fremitus. No dullness to percussion. Expiratory wheezing all lung fields.
	Extremities	No edema.

(15 pts)

- Final Diagnoses:** 1. Asthma  
2. High risk sexual behavior  
3. ETOH abuse

(25 pts) Management Plan

		Comments
	<b>Diagnosis</b>	
	Identifies all three final diagnoses Orders appropriate diagnostic tests: <b>PFT's</b> FEV1 1.9 (81% of predicted) FVC 3.3 (55%) of predicted Improves by 20% with bronchodilator HCG-negative Urine- Chlamydia/GC RPR, VRDL, HIV	
	<b>Management Plan</b>	
	Pharmacology: <b>Orders medications consistent with Step 3 (moderate persistent asthma) care</b> Rescue Inhaler Low Dose ICS & LABA	
	<b>Therapeutic Communication</b>	
	Explanations easily understandable and culturally appropriate	
	Professional approach	
	Explained findings & diagnosis clearly	
	Importance of follow up ( 2-4 weeks)	
	<b>Patient education addresses:</b> <b><u>Asthma</u></b> Asthma Triggers Use of inhalers Orders PFM & Spacer Rinse mouth after using inhalers Written asthma plan  <b><u>High Risk Sexual Practices</u></b> Safer sex practices Schedule follow up for WWE  <b><u>ETOH Use</u></b> Explores perception of ETOH Use Discusses options for decreasing Use	
	<b>Health Protection</b> Immunizations: Influenza, Pneumonia, HPV	

## **Script for Patient (Instructor copy)**

You are a 26-year old bartender.

You are very mildly SOB during this visit

CC "I'm having difficulty breathing.

### **History of Present Illness**

You're here today because you've been a "little bit short of breath" for the last week. You think it started about one week ago after you took your dog for a walk. It's usually worse at night when you lay down to go to sleep. It's been getting a little worse every day. You notice it more when you exercise or go up a flight of steps.

You also are concerned about a cough which started about the same time that the breathing problems started. The cough is non-productive. You have no fever or chills. You have some nasal congestion, but you've had that for many years. You think you probably have allergies (especially in the spring) but it seems much worse this year.

### **Past Medical History**

Unremarkable.

Take no meds.

### **Family History**

Mom and Dad- Alive and well. No health care issues.

Brother (age 15). Diagnosed with asthma as a child.

### **Personal and Social History**

You have never smoked. You are a bartender and drink 5-6 beers when you get off of work each night at 1 pm.

You use to have a boyfriend but broke up 10 months ago. Since then, you have been sexually active with several men. You don't use condoms. You have an IUD (Merena) for birth control. You really haven't thought about getting an STI. If asked, you have no vaginal symptoms.

### **Physical Exam:**

You really don't see the need for a physical examination today. You have not had a WVE for 3 years (when your IUD was inserted).

## **Script for Patient (Student Copy)**

You are a 26-year old bartender.

You are very mildly SOB during this visit

CC "I'm having difficulty breathing.

### **History of Present Illness**

You're here today because you've been a "little bit short of breath" for the last week. You think it started about one week ago after you took your dog for a walk. It's usually worse at night when you lay down to go to sleep. It's been getting a little worse every day. You notice it more when you exercise or go up a flight of steps.

You also are concerned about a cough which started about the same time that the breathing problems started. The cough is non-productive. You have no fever or chills. You have some nasal congestion, but you've had that for many years. You think you probably have allergies (especially in the spring) but it seems much worse this year.

### **Past Medical History**

Unremarkable.

Take no meds.

### **Family History**

Mom and Dad- Alive and well. No health care issues.

Brother (age 15). Diagnosed with asthma as a child.

### **Personal and Social History**

You have never smoked. You are a bartender and drink 5-6 beers when you get off of work each night at 1 pm.

You use to have a boyfriend but broke up 10 months ago. Since then, you have been sexually active with several men. You don't use condoms. You have an IUD (Merena) for birth control. You really haven't thought about getting an STI. If asked, you have no vaginal symptoms.

### **Physical Exam:**

You really don't see the need for a physical examination today. You have not had a WVE for 3 years (when your IUD was inserted).

## **APPENDIX J**

### **NURS 5750: Care of the Elderly: An Interdisciplinary Approach**

#### **Interdisciplinary Team Observation Faculty Scored Grading Rubric**

<b>Component</b>	<b>Points</b>	<b>Score/Comments</b>
1. Selection of a geriatric interdisciplinary team	5	
2. Team observation tool is completed with examples of observations (see observation tool for details)		
Professional Roles	10	
Leadership	15	
Communication and Conflict	15	
Meeting skills	10	
Outcome	10	
3. Analysis of the team dynamics	10	
4. Recommendations for team improvement	10	
5. APA, clear writing, and appropriate references	10	
Total	100	



**APPENDIX K**  
**AGNP PRIMARY CARE**  
**TYPHON LOG FACULTY GRADING RUBRIC**

**EXPECTATION: All Typhon entries should include: CC & HPI, PMH (PSH/FH/SH as appropriate), Medications, Allergies, ROS, Exam Findings, Differential Diagnoses, Working Diagnosis, Treatment Plan (Including health promotion and follow up). All Typhons should be completed within 7 days of the stated clinical time and must be turned in on time according to the predetermined dates on the course calendar. All entries on the Typhon log should be reconcilable to the date and time log presented for evaluation.**

<b>OBJECTIVE</b>	<b>DEVELOPING (77-84)</b>	<b>SATISFACTORY (85-92)</b>	<b>EXEMPLARY (93-100)</b>
Well defined CC & HPI	Sometimes included all components of evidence based practice process including assessment, diagnosis and treatment plan	Often included all components of evidence based practice process including assessment, diagnosis and treatment plan.	Consistently included all components of evidence based practice process including assessment, diagnosis and treatment.
Complete PMH	Sometimes identified correct differential diagnoses, working diagnosis and treatment plan	Often identified correct differential diagnoses, working diagnosis and treatment plan.	Consistently identified correct differential diagnoses, working diagnosis and treatment plan.
Complete list of Meds/Allergies	Sometimes identified appropriate health promotion and follow up	Often identified appropriate health promotion and follow up.	Consistently identified appropriate health promotion and follow up.
Pertinent ROS	Sometimes provided appropriate rationale for diagnostic choices	Often provided appropriate rationale for diagnostic choices	Consistently provided appropriate rationale for diagnostic choices
Pertinent Exam Findings	Sometimes completed logs on time with minimal prompting	Often completed logs on time without prompting	Consistently completed logs on time without prompting
All appropriate Differential Dx	Responded appropriately to redirection/correction	Responded appropriately to redirection/correction	Responded appropriately to redirection/correction
Correct Working Dx			
Evidence Based Treatment Plan (Meds, Diagnostics, Health Promotion, Follow up)			
Logs completed in timely manner			
Responds to redirection/correction appropriately			

**APPENDIX L**

**COMPREHENSIVE REPORT SUMMARY LOG**  
**FACULTY SCORED GRADING RUBRIC**

Students will download and submit an electronic report of all student clinical log encounters from the Typhon database at the end of the fall N5810 (final course).

Expected level of achievement:  $\geq 90\%$  of students will submit a complete report.

Complete report: 7/7 items completed.

**Rubric includes 7 elements: Course Number, Date, Age, Gender, Diagnosis, Clinical Notes, and Student Participation)**

<i>Report Elements</i>	<i>Included</i>	<i>Not Included</i>
<i>Course Number</i>		
<i>Date</i>		
<i>Age</i>		
<i>Gender</i>		
<i>Student Participation</i>		
<i>Diagnosis (ICD 10 Codes)</i>		
<i>Clinical Notes</i>		